



GAZELLE



GAZELLE 



# Content

- 5 Successful together
- 6 Well-deserved exposure
- 8 We make it easy for you
- 10 Gazelle Protect and Connect
- 12 Together, we create happy cyclists
- 14 E-bike model overview

## E-Bikes

---

- 17 Avignon**
- 19 Avignon C380+
- 21 Avignon C380
- 23 Avignon C5
  
- 25 Grenoble**
- 27 Grenoble C5
- 29 Grenoble C8+
- 31 Grenoble C8
  
- 33 Orange**
- 35 Orange C8+
- 37 Orange C8
- 39 Orange C8 26"
  
- 41 Paris**
- 43 Paris C7+
- 45 Paris C7
  
- 47 Eclipse**
- 49 Eclipse C380
- 51 Eclipse T11
  
- 53 Ultimate**
- 55 Ultimate C380
- 57 Ultimate T11
- 59 Ultimate C5+
  
- 61 Chamonix**
- 63 Chamonix C5

- 65 Medeo**
- 67 Medeo T10
- 69 Medeo T9
  
- 71 Esprit**
- 73 Esprit C7
  
- 75 Makki**
- 77 Makki Travel
- 79 Makki Load
- 81 Makki Urban
  
- 83 Cabby**
- 85 Cabby C380
  
- 87 Bloom**
- 89 Bloom C310
- 91 Bloom C7
- 93 Bloom C7 26"
  
- 95 Easyflow**
- 97 Easyflow C8
- 99 Easyflow C7

## Bikes

---

- 101 Chamonix**
- 103 Chamonix S11
- 105 Chamonix S8
- 107 Chamonix C8
- 109 Chamonix C7
- 111 Chamonix T20
- 113 Esprit Belt
- 115 Esprit
- 117 Van Stael
- 119 Tour Populaire C8
- 121 Classic

## Accessories

---

- 123 Customise your bike!
- 124 Gazelle carrier bag
- 125 Gazelle waterproof shoulderbag
- 126 Front carrier Esprit
- 126 Accessories Van Stael

The product information of the bicycles has been carefully put together. We reserve the right to modify this information at any time. The equipment and specifications may be changed without prior notice to an alternative, equivalent component.





# Successful together

A chain only runs smoothly when all its links work together. The same goes for our collaboration. Your craftsmanship, dedication, and customer focus make a real difference on the shop floor every single day. Together, we help people keep cycling with joy.

For 2026, we've put together a versatile range that meets the needs of a wide variety of cyclists. From sporty models to family bikes – each one is designed with comfort, quality, and style in mind.

This Dealer Manual gives you a full overview of our entire offering. Of course, all this information can also be found on our Dealer Portal.

We're here to support you with product details, marketing tools, and personal contact. Together, we'll make sure your customers leave the shop with a smile on their face.

Here's to a successful 2026.

**Mike Isaac**  
Country Manager

GAZELLE 



# Well-deserved exposure

The quality of Gazelle bikes is second to none. How can we be so sure? Simple: our models consistently come out on top in independent tests. And most recently, we've enjoyed more great results.

These awards are more than just recognition. They give our bikes the well-deserved exposure they deserve and boost consumer interest – resulting in even better resale, which benefits us all!

## Product Management Team






# Gazelle Cabby

"Excellent ratings for functionality and sustainability."

Jury of the iF Design Award 2025



# We make it easy for you



## Dealer Portal

24/7 support on sales & service

With our Dealer Portal you can:

- Order Gazelle bikes and parts, simply via the desktop or smartphone
- Fast access to all product information and delivery times
- Organise your own warranties and return shipments
- View orders, packing slips, invoices and return shipments
- Download manuals, product descriptions and more in the Knowledge Centre

- Always up to date with the latest Gazelle news
- Quick access to the Ambassadors Club, Brandstore, Brand Portal and more

We work constantly on improving and expanding the Dealer Portal. You can give your comments and share your ideas via the feedback button.

<https://dealer.pon.bike>



## Gazelle Ambassadors Club

Learn all about Gazelle

The place to discover everything about our brand, our products, and our service.

- Expand your Gazelle knowledge with interesting videos about our brand, products and services
- Collect points and save up for great prizes

Create an account and claim your first prize right away! Log in at:

[ambassadors.gazellebikes.com](https://ambassadors.gazellebikes.com)

## Gazelle Brandstore

### Merchandise

A wide range of Gazelle clothing and promotional material, allowing you to order the desired products directly.

- Complete overview of Gazelle merchandising
- Products always available to order
- No shipping costs

Access via the Gazelle Dealer Portal:  
<https://dealer.pon.bike>



Black backpack



Navy blue cap



Men's navy blue T-shirt



## Gazelle Brand Portal

### All media in one place

The Gazelle Brand Portal provides all kinds of images, toolkits and factsheets about our brand and our bikes.

Go to: [pon.webdamdb.com](https://pon.webdamdb.com)

# Gazelle Protect and Connect

Always know where your e-bike is

Gazelle Protect and Gazelle Connect e-bikes come with a built-in GPS tracker. You can recognize these models by the GPS icon on the frame. This icon indicates whether it's a Gazelle Protect or Gazelle Connect e-bike.

When combined with a data subscription, the e-bike's location is shown in the Gazelle App. If the bike is moved, the linked phone automatically receives a notification.




	Gazelle Protect	Gazelle Connect
Built-in GPS tracker	✓	✓
KiWa-certified (meets Dutch insurance requirements)	✓	✓
Gazelle App	✓	✓
Data subscription	Via Gazelle (not included)	Via Gazelle (1 year included)
Theft insurance	Optional via dealer or online (not included)	Via dealer/online (not included).
GPS icon on the frame		 <b>GPS-PROTECTED</b>

# The world of Gazelle



→ The only royal bike brand in the world



# 67%

→ Of Gazelle customers choose Gazelle again for their next e-bike

→ Where to find us



# 2.500

Bike Stores

# 10

Countries

## Handmade in Dieren, the Netherlands



→ Heritage of more than 134 years



→ Unique, patented innovation in almost every Gazelle e-bike

Good advice followed by an extensive test ride

→ that's how we ride



### Warranty

→ 5 to 10 years on the frame

→ 5 years on paintwork


→ 2 years on other components

Cycling makes both you and the world better, healthier and happier



# Together, we create happy cyclists

By working closely with you, we can provide the best service to our customers. It's important for us to understand how customers experience our joint service and products. That's why we ask them to share their feedback. Reviews are collected and managed by Trustpilot.



1.985+ reviews | gazelle.nl

→ "A beautiful Dutch factory producing bikes of real quality. The dealers are all experienced bicycle experts."

Will ★★★★★

→ "We've now bought a new Gazelle Ultimate C380 – such a joy to ride. It comes with a suspension seat post, straps for the pannier rack, and a battery cover for when transporting on a bike rack."

Johan ★★★★★

→ "I bought a Gazelle Grenoble C7+ around three years ago. I'm still very happy with it and have already ridden more than 10,000 wonderful kilometres. Big compliments to the Gazelle bike shop for their excellent service – from the purchase to the maintenance over the years."

Nico ★★★★★

→ "Yesterday I went on a long ride with my new Gazelle Easyflow C7. I felt incredibly safe on this bike! I'm very pleased with my purchase (aged 70+). Here's to many more safe kilometres."

Josette ★★★★★

→ "We bought our Gazelle bikes at an authorised Gazelle store. Fantastic service – they really take the time for you. We're thrilled with our Gazelle bikes."

Sophia ★★★★★

→ "A great concept: take a test ride on the model you're interested in. That way, you know the fit is right. In August, we bought two Gazelle Eclipse C380 bikes – one low-step and one high-step. Super comfortable bikes, and we've already ridden quite a few kilometres."

Arie ★★★★★

→ "A great, sturdy and comfortable bike. The website gave me a good idea of the model, and Gazelle's customer service was very helpful. I ended up choosing the Grenoble C5 – a solid bike that suits me perfectly."

Remco ★★★★★


→ "We've been riding Gazelle bikes for years. Always top quality and great service."

Alexander ★★★★★

# E-bike model overview

## Comfort For a relaxed ride

**Paris**  
No-nonsense




£ £ £ £

**Orange**  
Allrounder




£ £ £ £

**Grenoble**  
Elegant



£ £ £ £



**Avignon**  
Premium



£ £ £ £


## Active For an adventurous ride

**Medeo**  
Hybrid



£ £ £ £

**Chamonix**  
Versatile




£ £ £ £

**Ultimate**  
Dynamic



£ £ £ £

**Eclipse**  
Power



£ £ £ £



Our collection has been carefully assembled for different types of cyclists. We offer models in various price ranges and a wide array of frame sizes. For almost every model, several variants are available, ensuring there is always a suitable bike that meets the user's needs. This makes it easy for you as a dealer to offer the right bike.

## City

Fast through the city

### Esprit

Robust




£ £ £ £

## Vitality

Ride with confidence

### Easyflow

Safety




£ £ £ £

## Family

Riding with kids

### Bloom

Family bike



£ £ £ £

### Cabby


Longtail



£ £ £ £

### Makki

Cargo bike



£ £ £ £



# Avignon


The Avignon offers the best of the best. Its powerful, unique design makes you stand out. The ultimate riding performance makes this e-bike the most comfortable from Gazelle.



## Geometry

The geometry of a bicycle is about more than just the size. With the geometry table you can make a proper comparison between the various frame sizes and bicycle models. This provides you with a clear picture of the sitting position and the bicycle's handling. The purpose of this is to provide your customer with even better advice.

Always bear in mind that different handlebars and (adjustable) stems can have a significant effect on the sitting position. This is not included in this table.



## Avignon

Frame size, low-step	S (49)	M (53)	L (57)	XL (61)	XXL (65)
A Size (mm)	490	530	570	610	650
B Effective top tube length (mm)	595	595	620	620	620
C Head tube angle (°)	68,5	68,5	68,5	68,5	68,5
D Effective seat tube angle (°)	69,5	69,5	69,5	69,5	69,5
E Chain stay length (mm)	506	506	506	506	506
F BB Drop (mm)	68	68	68	68	68
G Head tube length (mm)	168	168	193	193	193
H Fork length (mm)	484	484	484	484	484
I Fork offset (mm)	50	50	50	50	50
J Wheelbase (mm)	1133	1133	1158	1158	1158
K Stack (mm)	656	656	680	680	680
L Reach (mm)	347	347	362	362	362






## Comfort and riding pleasure

The Avignon is designed according to the renowned Gazelle geometry: upright and comfortable. The low, wide step-through makes mounting and dismounting easy. You will experience the ultimate riding experience thanks to the suspension fork, extra-wide tyres, luxurious leather grips, and gel saddle. The large battery of up to 800 Wh ensures endless riding pleasure.

## Characterful design

With the powerful design of the Avignon, you'll stand out. The design lines flow smoothly from the head tube all the way into the integrated rear carrier. Together with the specially designed fork, this makes the Avignon contemporary. Truly an e-bike to be seen on.



## Attention to detail

The Avignon is designed with great care and attention to detail. Cables and lighting are beautifully integrated. The daytime running lights and rear brake light provide extra safety. The attention to finish is visible in the sleek frame with subtle transitions. The Avignon is premium down to the details.

	Avignon C380+	Avignon C380	Avignon C5
Gears	Continuously variable Enviolo Trekking Automatic	Continuously variable Enviolo Trekking Manual	5
Motor	Bosch Performance Line PX (85 Nm)	Bosch Performance Line PX (85 Nm)	Bosch Performance Line (75 Nm)
Battery choice	540 Wh / 600 Wh / 800 Wh	540 Wh / 600 Wh / 800 Wh	540 Wh / 600 Wh / 800 Wh
Display	Kiox 500	Kiox 500	Kiox 500
Hydraulic disc brakes	✓	✓	✓
Belt drive	✓	✓	✓
Gazelle Protect	✓	✓	✓



# Avignon C380+



twilight green matte

The Avignon offers the best of the best. Luxurious components such as a belt drive, suspension fork, powerful Bosch motor, leather grips, and gel saddle offer you a premium riding experience. The design is characterful with the renowned Gazelle geometry: upright and comfortable with a wide step-through. The Avignon C380+ even shifts automatically and has built-in GPS.

- Automatically in the right gear
- A lot of motor power and still quiet
- Extra-large display with smartphone connectivity
- Gazelle Protect: GPS built-in

**VERSION:** Enviolo Trekking Automatic stepless gear system with Tektro HD-3021 hydraulic disc brakes **WEIGHT (KG):** 29.2 (excl. battery) **WEIGHT (LBS):** LOW-STEP: S(49) | M(53) | L(57) | XL(61) **COLOUR:** twilight green matte



**BOSCH**

**MIK**  
MOUNTING . IS . KEY



# Avignon C380+

## Specifications

### Frame/Fork

- Frame: Stable aluminium frame with 68.5° head tube angle and 69.5° saddle tube angle. Cables are nicely concealed through the unique cable integration system. Battery integrated in the frame for large capacity
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Gazelle, Telescope, spiral spring
- Fork travel: 40 mm
- Fork lockout: No
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe The Green Marathon, 55-622, 80% recycled and renewable materials
- Tyre rear: Schwalbe The Green Marathon, 55-622, 80% recycled and renewable materials
- Front rim: Ryde ZAC 25, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde ZAC 25, double-walled aluminium for extra strong and efficient cycling performance
- Rear hub: Enviolo Trekking Automatic

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: steplessly adjustable
- Grips: Gazelle Aero Leather, luxury leather handlebar grips for a sophisticated feel and extra comfort
- Brake levers: Tektro

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-T3021, 180 mm
- Rear brake: hydraulic disc brake, Tektro HD-R3021, 160 mm
- Front chain wheel: 46 Gates CDX
- Rear chain wheel: 22 Gates CDX
- Gear: Enviolo Trekking Automatic
- Drivetrain: belt
- Chain/belt: Gates CDX

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: Yes
- Saddle: Selle Royal Lena Gel

### Lightning

- Front light: Gazelle Fendervision
- Frontlight lux: 70
- Front light energy source: battery
- Rear light: Spanninga Commuter Glow, with brake sensor
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Performance Line PX, 85 Nm
- Display: Bosch Kiox 500
- Display Removeable: Yes
- Charger: Bosch Standard Charger, 4 Ah
- Watt hours: 540 Wh, 600 Wh, 800 Wh
- Battery Position: integrated in the frame

### Other

- Lock: Axa Imenso
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 150 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
BGA0062	Low-Step 49 SE 28"	905	twilight green matte
BGA0063	Low-Step 53 SE 28"	905	twilight green matte
BGA0064	Low-Step 57 SE 28"	905	twilight green matte
BGA0065	Low-Step 61 SE 28"	905	twilight green matte

# Avignon C380



pebble grey matte



teal grey matte

The Avignon offers the best of the best. Luxurious components such as a belt drive, suspension fork, powerful Bosch motor, leather grips, and gel saddle offer you a premium riding experience. The design is characterful with the renowned Gazelle geometry: upright and comfortable with a wide step-through. The Avignon C380 has a stepless gear and built-in GPS.

- Stepless in the right gear
- A lot of motor power and still quiet
- Extra-large display with smartphone connectivity
- Gazelle Protect: GPS built-in

**VERSION:** Enviolo Trekking Manual stepless gear system with Tektro HD-3021 hydraulic disc brakes **WEIGHT (KG):** 29.1 (excl. battery) **WEIGHT (LBS):** LOW-STEP: S(49) | M(53) | L(57) | XL(61) | XXL(65) **COLOUR:** pebble grey matte | teal grey matte



**BOSCH**

**MIK**  
MOUNTING . IS . KEY



# Avignon C380

## Specifications

### Frame/Fork

- Frame: Stable aluminium frame with 68.5° head tube angle and 69.5° saddle tube angle. Cables are nicely concealed through the unique cable integration system. Battery integrated in the frame for large capacity
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Gazelle, Telescope, spiral spring
- Fork travel: 40 mm
- Fork lockout: No
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe The Green Marathon, 55-622, 80% recycled and renewable materials
- Tyre rear: Schwalbe The Green Marathon, 55-622, 80% recycled and renewable materials
- Front rim: Ryde ZAC 25, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde ZAC 25, double-walled aluminium for extra strong and efficient cycling performance
- Rear hub: Enviolo Trekking Manual

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: steplessly adjustable
- Grips: Gazelle Aero Leather, luxury leather handlebar grips for a sophisticated feel and extra comfort
- Brake levers: Tektro

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-T3021, 180 mm

- Rear brake: hydraulic disc brake, Tektro HD-R3021, 160 mm
- Shifter: Enviolo Twist pro - Manual
- Front chain wheel: 46 Gates CDX
- Rear chain wheel: 22 Gates CDX
- Gear: Enviolo Trekking Manual
- Drivetrain: belt
- Chain/belt: Gates CDX

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: Yes
- Saddle: Selle Royal Lena Gel

### Lighting

- Front light: Gazelle Fendervision
- Frontlight lux: 70
- Front light energy source: battery
- Rear light: Spanninga Commuter Glow, with brake sensor
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Performance Line PX, 85 Nm
- Display: Bosch Kiox 500
- Display Removeable: Yes
- Charger: Bosch Standard Charger, 4 Ah
- Watt hours: 540 Wh, 600 Wh, 800 Wh
- Battery Position: integrated in the frame

### Other

- Lock: Axa Imenso
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 150 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
BGA0056	Low-Step 49 SE 28"	505	pebble grey matte
BGA0057	Low-Step 53 SE 28"	505	pebble grey matte
BGA0058	Low-Step 57 SE 28"	505	pebble grey matte
BGA0059	Low-Step 61 SE 28"	505	pebble grey matte
BGA0050	Low-Step 49 SE 28"	899	teal grey matte
BGA0051	Low-Step 53 SE 28"	899	teal grey matte
BGA0052	Low-Step 57 SE 28"	899	teal grey matte
BGA0053	Low-Step 61 SE 28"	899	teal grey matte
BGA0054	Low-Step 65 SE 28"	899	teal grey matte

# Avignon C5



orion blue matte

The Avignon offers the best of the best. Luxurious components such as a belt drive, suspension fork, quiet Bosch motor, leather grips, and gel saddle offer you a premium riding experience. The design is characterful with the renowned Gazelle geometry: upright and comfortable with a wide step-through. The Avignon C5 has built-in GPS and five gears. Shifting is possible under load while you ride.

- Nexus 5-speed hub designed for e-bikes
- Whisper-quiet motor
- Extra-large display with smartphone connectivity
- Gazelle Protect: GPS built-in

**VERSION:** 5-speed Shimano Nexus gears with Tektro HD-3021 hydraulic disc brakes **WEIGHT (KG):** 28.2 (excl. battery)  
**WEIGHT (LBS): LOW-STEP:** S(49) | M(53) | L(57) | XL(61) | XXL(65) **COLOUR:** orion blue matte



**BOSCH**

**MIK**  
MOUNTING . IS . KEY



# Avignon C5

## Specifications

### Frame/Fork

- Frame: Stable aluminium frame with 68.5° head tube angle and 69.5° saddle tube angle. Cables are nicely concealed through the unique cable integration system. Battery integrated in the frame for large capacity
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Gazelle, Telescope, spiral spring
- Fork travel: 40 mm
- Fork lockout: No
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe The Green Marathon, 55-622, 80% recycled and renewable materials
- Tyre rear: Schwalbe The Green Marathon, 55-622, 80% recycled and renewable materials
- Front rim: Ryde ZAC 25, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde ZAC 25, double-walled aluminium for extra strong and efficient cycling performance
- Rear hub: Shimano Nexus 5

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: steplessly adjustable
- Grips: Gazelle Aero Leather, luxury leather handlebar grips for a sophisticated feel and extra comfort
- Brake levers: Tektro

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-T3021, 180 mm
- Rear brake: hydraulic disc brake, Tektro HD-R3021, 160 mm
- Shifter: Shimano Nexus 5
- Front chain wheel: 46 Gates CDC
- Rear chain wheel: 34 Gates CDX
- Gear: Shimano Nexus 5

- Drivetrain: belt
- Chain/belt: Gates CDX

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: Yes
- Saddle: Selle Royal Lena Gel

### Lightning

- Front light: Gazelle Fendervision
- Frontlight lux: 70
- Front light energy source: battery
- Rear light: Spanninga Commuter Glow, with brake sensor
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Performance Line, 75 Nm
- Display: Bosch Kiox 500
- Display Removeable: Yes
- Charger: Bosch Standard Charger, 4 Ah
- Watt hours: 540 Wh, 600 Wh, 800 Wh
- Battery Position: integrated in the frame

### Other

- Lock: Axa Imenso
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 150 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
BGA0068	Low-Step 49 S5 28"	621	orion blue matte
BGA0069	Low-Step 53 S5 28"	621	orion blue matte
BGA0070	Low-Step 57 S5 28"	621	orion blue matte
BGA0071	Low-Step 61 S5 28"	621	orion blue matte
BGA0072	Low-Step 65 S5 28"	621	orion blue matte




# Grenoble

Get out there. With Grenoble, every ride is comfortable; upright cycling, silent support and easy entry. The extra attention to integration and finishing emphasizes the elegant comfort.

## Geometry

The geometry of a bicycle is about more than just the size. With the geometry table you can make a proper comparison between the various frame sizes and bicycle models. This provides you with a clear picture of the sitting position and the bicycle's handling. The purpose of this is to provide your customer with even better advice.

Always bear in mind that different handlebars and (adjustable) stems can have a significant effect on the sitting position. This is not included in this table.



## Grenoble

Frame size, low-step	XS (46)	S (49)	M (53)	L (57)	XL (61)
A Size (mm)	460	490	530	570	610
B Effective top tube length (mm)	571	582	593	605	614
C Head tube angle (°)	68,5	68,5	68,5	68,5	68,5
D Effective seat tube angle (°)	69,5	69,5	69,5	69,5	69,5
E Chain stay length (mm)	482	482	482	482	482
F BB Drop (mm)	60	60	60	60	60
G Head tube length (mm)	145	145	165	165	185
H Fork length (mm)	475	475	475	475	475
I Fork offset (mm)	55	55	55	55	55
J Wheelbase (mm)	1097	1108	1120	1131	1141
K Stack (mm)	621	621	640	640	658
L Reach (mm)	339	350	354	366	368

Frame size, high-step	M (53)	L (57)	XL (61)
A Size (mm)	530	570	610
B Effective top tube length (mm)	596	607	615
C Head tube angle (°)	68,5	68,5	68,5
D Effective seat tube angle (°)	69,5	69,5	69,5
E Chain stay length (mm)	482	482	482
F BB Drop (mm)	60	60	60
G Head tube length (mm)	145	145	165
H Fork length (mm)	475	475	475
I Fork offset (mm)	55	55	55
J Wheelbase (mm)	1120	1131	1141
K Stack (mm)	621	621	640
L Reach (mm)	361	373	376





## Design and convenience

If you choose the Grenoble, you choose an elegant and comfortable package. Beautiful design lines combined with high-quality components offer years of enjoyment. The smooth Bosch mid-drive motor and the stable frame with a wide step-through provide optimal convenience.

## Comfortable and versatile

Shopping in the city or cycling through nature with the Grenoble? It's all possible because the Grenoble is equipped with all comforts. The suspension fork and seat post offer optimal comfort on every ride. With the MIK HD system, you can easily click a bag or crate onto the rear rack.



## Safe and carefree

With powerful daytime running lights, wide tyres, and hydraulic disc brakes, you set off safely. Thus, you are always highly visible, have good grip on the road, and brake in a controlled manner. Thanks to the large battery, you have plenty of range. Need to recharge? Use the cleverly designed charging port or remove the battery.

	Grenoble C5	Grenoble C8+	Grenoble C8
Gears	5	8	8
Motor	Bosch Performance Line (75 Nm)	Bosch Active Line Plus (50 Nm)	Bosch Active Line Plus (50 Nm)
Battery choice	540 Wh / 600 Wh	540 Wh / 600 Wh	540 Wh / 600 Wh
Battery integrated into frame	✓	✓	✓
Hydraulic disc brakes	✓	✓	✓
Belt drive	✓		
Display	Kiox 300	Kiox 300	Purion 200



# Grenoble C5



ivory white matte



anthracite grey gloss



anthracite grey gloss

Go out. With Grenoble C5, every ride is comfortable; upright cycling, silent assistance, and an easy step-through. The extra attention to integration and finishing highlights the elegant comfort.

- Beautiful combination of organic and sharp design lines
- No chain but a silent belt
- Powerful motor with attention to integration
- Luxury finish, more comfort

**VERSION:** 5-speed Shimano Nexus gears with Tektro HD-T2800 hydraulic disc brakes **WEIGHT (KG):** 27 (excl. battery)  
**WEIGHT (LBS):** 55.3 (excl. battery) **LOW-STEP:** XS(46) | S(49) | M(53) | L(57) | XL(61) **COLOUR:** anthracite grey gloss |  
ivory white matte **HIGH-STEP:** M(53) | L(57) | XL(61) **COLOUR:** anthracite grey gloss



**BOSCH**

**MIK**  
MOUNTING . IS . KEY



# Grenoble C5

## Specifications

### Frame/Fork

- Frame: Stable, lightweight hydro-formed aluminium frame with 68.5° headset angle and 69.5° saddle tube angle for relaxed and comfortable riding. This is a low-step and spacious frame, single tube and lovely integrated cables
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Telescope, spiral spring
- Fork travel: 50 mm
- Fork lockout: No
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre front: Schwalbe Energizer Active Plus, 50-622
- Tyre rear: Schwalbe Energizer Active Plus, 50-622
- Front rim: Ryde ZAC 421, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde ZAC 421, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Shimano Nexus 5

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: steplessly adjustable
- Grips: Gazelle Aero Leather, luxury leather handlebar grips for a sophisticated feel and extra comfort
- Brake levers: Tektro

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G4719	Low-Step 49 S5 28"	322	ivory white matte
G4720	Low-Step 53 S5 28"	322	ivory white matte
G4721	Low-Step 57 S5 28"	322	ivory white matte
G4722	Low-Step 61 S5 28"	322	ivory white matte
G4706	Low-Step 46 S5 28"	822	anthracite grey gloss
G4707	Low-Step 49 S5 28"	822	anthracite grey gloss
G4708	Low-Step 53 S5 28"	822	anthracite grey gloss
G4709	Low-Step 57 S5 28"	822	anthracite grey gloss
G4710	Low-Step 61 S5 28"	822	anthracite grey gloss
G4714	High-Step 53 S5 28"	822	anthracite grey gloss
G4715	High-Step 57 S5 28"	822	anthracite grey gloss
G4716	High-Step 61 S5 28"	822	anthracite grey gloss

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-T280, 180 mm 2 piston
- Rear brake: hydraulic disc brake, Tektro HD-T280, 160 mm, 2 piston
- Shifter: Shimano Nexus 5
- Front chain wheel: 46 Gates CDC
- Rear chain wheel: 34 Gates CDX
- Gear: Shimano Nexus 5
- Drivetrain: belt
- Chain/belt: Gates CDC

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: Yes
- Saddle: Selle Royal Lena Gel

### Lighting

- Front light: Gazelle Fendervision, with daytime running lights
- Frontlight lux: 70
- Front light energy source: battery
- Rear light: Spanninga Pimento
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Performance Line, 75 Nm
- Display: Bosch Kiox 300
- Display Removeable: Yes
- Charger: Bosch Standard Charger, 4 Ah
- Watt hours: 540 Wh, 600 Wh
- Battery Position: integrated in the frame

### Other

- Lock: Axa Imenso, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 150 kg

# Grenoble C8+



twilight green matte



black matte



black matte

Go out. With the Grenoble C8+, every ride is comfortable; upright cycling, smooth support, and an easy step-through. The extra attention to the integration of cables, the battery, and lighting gives the Grenoble an elegant appearance.

- Stable frame with a wide step-through
- Colour display with navigation
- Powerful integrated lighting
- Luxurious finish, more comfort

**VERSION:** 8-speed Shimano Nexus gears with Tektro HD-T2800 hydraulic disc brakes **WEIGHT (KG):** 27.3 (excl. battery) **WEIGHT (LBS):** **LOW-STEP:** XS(46) | S(49) | M(53) | L(57) | XL(61) **COLOUR:** black matte | twilight green matte **HIGH-STEP:** M(53) | L(57) | XL(61) **COLOUR:** black matte



**BOSCH**

**MIK**  
MOUNTING . IS . KEY



# Grenoble C8+

## Specifications

### Frame/Fork

- Frame: Stable, lightweight hydro-formed aluminium frame with 68.5° headset angle and 69.5° saddle tube angle for relaxed and comfortable riding. This is a low-step and spacious frame, single tube and lovely integrated cables
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Telescope, spiral spring
- Fork travel: 40 mm
- Fork lockout: No
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre front: Schwalbe Energizer Active Plus, 50-622
- Tyre rear: Schwalbe Energizer Active Plus, 50-622
- Front rim: Ryde ZAC 421, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde ZAC 421, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Shimano Nexus 8

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: steplessly adjustable
- Grips: Gazelle Aero Leather, luxury leather handlebar grips for a sophisticated feel and extra comfort
- Brake levers: Tektro

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G4974	Low-Step 46 S8 28"	001	black matte
G4975	Low-Step 49 S8 28"	001	black matte
G4976	Low-Step 53 S8 28"	001	black matte
G4977	Low-Step 57 S8 28"	001	black matte
G4978	Low-Step 61 S8 28"	001	black matte
G4986	Low-Step 49 S8 28"	905	twilight green matte
G4987	Low-Step 53 S8 28"	905	twilight green matte
G4988	Low-Step 57 S8 28"	905	twilight green matte
G4989	Low-Step 61 S8 28"	905	twilight green matte
G4981	High-Step 53 S8 28"	001	black matte
G4982	High-Step 57 S8 28"	001	black matte
G4983	High-Step 61 S8 28"	001	black matte

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-T280, 180 mm
- Rear brake: hydraulic disc brake, Tektro HD-T280, 160 mm
- Shifter: Shimano Nexus 8
- Front chain wheel: 38
- Rear chain wheel: 18
- Gear: Shimano Nexus 8
- Drivetrain: chain
- Chain/belt: KMC X8

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: Yes
- Saddle: Selle Royal Lena Gel

### Lighting

- Front light: Gazelle Fendervision, with daytime running lights
- Frontlight lux: 70
- Front light energy source: battery
- Rear light: Spanninga Pimento
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Active Line Plus, 50 Nm
- Display: Bosch Kiox 300
- Display Removeable: Yes
- Charger: Bosch Compact Charger, 2 Ah
- Watt hours: 540 Wh, 600 Wh
- Battery Position: integrated in the frame

### Other

- Lock: Axa Imenso
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 150 kg

# Grenoble C8



light olive gloss



between blue matte



between blue matte

Go out. With the Grenoble C8, every ride is comfortable; upright cycling, smooth support, and an easy step-through. The extra attention to the integration of the battery and cables gives the Grenoble an elegant appearance.

- Stable frame with a wide step-through
- Battery and cables integrated
- Powerful hydraulic disc brakes
- Maximum comfort with wide tyres

**VERSION:** 8-speed Shimano Nexus gears with Tektro HD-T2800 hydraulic disc brakes **WEIGHT (KG):** 27.3 (excl. battery)  
**WEIGHT (LBS):** 60.2 (excl. battery) **LOW-STEP:** XS(46) | S(49) | M(53) | L(57) | XL(61) **COLOUR:** between blue matte |  
light olive gloss **HIGH-STEP:** M(53) | L(57) | XL(61) **COLOUR:** between blue matte



**BOSCH**

**MIK**  
MOUNTING . IS . KEY



# Grenoble C8

## Specifications

### Frame/Fork

- Frame: Stable, lightweight hydro-formed aluminium frame with 68.5° headset angle and 69.5° saddle tube angle for relaxed and comfortable riding. This is a low-step and spacious frame, single tube and lovely integrated cables
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Gazelle, Telescope, spiral spring
- Fork travel: 40 mm
- Fork lockout: No
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe Energizer Active Plus, 50-622
- Tyre rear: Schwalbe Energizer Active Plus, 50-622
- Front rim: Ryde ZAC 421, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde ZAC 421, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Shimano Nexus 8

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: steplessly adjustable
- : Gazelle Aerowing
- Brake levers: Tektro

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
BGA0187	Low-Step 49 S8 28"	887	light olive gloss
BGA0188	Low-Step 53 S8 28"	887	light olive gloss
BGA0189	Low-Step 57 S8 28"	887	light olive gloss
BGA0190	Low-Step 61 S8 28"	887	light olive gloss
BGA0174	Low-Step 46 S8 28"	912	between blue matte
BGA0175	Low-Step 49 S8 28"	912	between blue matte
BGA0176	Low-Step 53 S8 28"	912	between blue matte
BGA0177	Low-Step 57 S8 28"	912	between blue matte
BGA0178	Low-Step 61 S8 28"	912	between blue matte
BGA0182	High-Step 53 S8 28"	912	between blue matte
BGA0183	High-Step 57 S8 28"	912	between blue matte
BGA0184	High-Step 61 S8 28"	912	between blue matte

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-T280, 180 mm
- Rear brake: hydraulic disc brake, Tektro HD-T280, 160 mm
- Shifter: Shimano Nexus 8
- Front chain wheel: 38
- Rear chain wheel: 18
- Gear: Shimano Nexus 8
- Drivetrain: chain
- Chain/belt: KMC X8

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: Yes
- Saddle: Selle Royal Lena

### Lightning

- Front light: AXA NXT 60
- Frontlight lux: 60
- Front light energy source: battery
- Rear light: Spanninga Solo
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Active Line Plus, 50 Nm
- Display: Bosch Purion 200
- Display Removeable: No
- Charger: Bosch Compact Charger, 2 Ah
- Watt hours: 540 Wh, 600 Wh
- Battery Position: integrated in the frame

### Other

- Lock: Axa Imenso
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 150 kg

# Orange


Cruising comfortably through the city? Quickly picking up groceries at the supermarket? It's tailor-made for the Gazelle Orange. With its low step-through, wide tyres, and adjustable Switch handlebar stem, this iconic Gazelle model is the comfortable all-rounder.



## Geometry

The geometry of a bicycle is about more than just the size. With the geometry table you can make a proper comparison between the various frame sizes and bicycle models. This provides you with a clear picture of the sitting position and the bicycle's handling. The purpose of this is to provide your customer with even better advice.

Always bear in mind that different handlebars and (adjustable) stems can have a significant effect on the sitting position. This is not included in this table.



## Orange

Frame size, low-step	XXS 26" (42)	XS 26" (46)	XS (46)	S (49)	M (53)	L (57)	XL (61)
A Size (mm)	420	460	460	490	530	570	610
B Effective top tube length (mm)	562	572	571	582	593	605	614
C Head tube angle (°)	68,5	68,5	68,5	68,5	68,5	68,5	68,5
D Effective seat tube angle (°)	69,5	69,5	69,5	69,5	69,5	69,5	69,5
E Chain stay length (mm)	456	456	482	482	482	482	482
F BB Drop (mm)	45	45	60	60	60	60	60
G Head tube length (mm)	130	130	145	145	165	165	185
H Fork length (mm)	450	450	475	475	475	475	475
I Fork offset (mm)	55	55	55	55	55	55	55
J Wheelbase (mm)	1069	1079	1097	1108	1120	1131	1141
K Stack (mm)	568	568	621	621	640	640	658
L Reach (mm)	349	360	339	350	354	366	368

Frame size, high-step	L (57)	XL (61)
A Size (mm)	570	610
B Effective top tube length (mm)	605	615
C Head tube angle (°)	68,5	68,5
D Effective seat tube angle (°)	69,5	69,5
E Chain stay length (mm)	482	482
F BB Drop (mm)	60	60
G Head tube length (mm)	145	165
H Fork length (mm)	475	475
I Fork offset (mm)	55	55
J Wheelbase (mm)	1131	1141
K Stack (mm)	621	640
L Reach (mm)	373	376





## Optimal convenience

Convenience at its finest! Mounting and dismounting is smooth thanks to the low step-through. Need a bike bag or basket on the back? Use the MIK system. With this, you can attach a shopping bag or child seat to the carrier with just one click. You can fine-tune your riding position thanks to the Switch handlebar stem, which adjusts without tools. With the electric Orange, the battery is integrated into the carrier. You can easily slide it in and out.

## Attention to detail

With the Orange, you ensure yourself a stiff and stable frame that is simultaneously lightweight. You pedal lightly and with a secure feeling. The rear carrier is solidly mounted on the frame, so it can handle a filled bag or basket without a problem. Also, pay attention to the weld seams of the aluminum frame; they are all neatly finished.



## High comfort level

The Orange emphasizes comfort in capital letters. You'll notice this, for example, when cycling in the typical Dutch upright seating position. You pedal in a relaxed manner and have a good overview. Thanks to the suspension components and wide tyres, you effortlessly navigate through the paved shopping street. You hardly feel any vibrations, and the tyre grip is excellent. Each Orange offers various comfort options.

	Orange C8+	Orange C8	Orange C8 26"
Gears	8	8	8
Motor	Bosch Active Line Plus (50 Nm)	Bosch Active Line Plus (50 Nm)	Bosch Active Line Plus (50 Nm)
Battery choice	400 Wh / 500 Wh	400 Wh / 500 Wh	400 Wh / 500 Wh
Hydraulic disc brakes	✓	✓	✓
Suspension seatpost and front fork	✓	✓	✓
Integrated LED lighting	✓		
Belt drive	✓		
Display	Purion 200	Purion 200	Purion 200



# Orange C8+



twilight green matte



black matte



black matte

Plenty of comfort and safety due to the upright seating position and easy mounting and dismounting. The Orange C8+ is always ready for you. The silent belt drive is also low maintenance and gives the Orange a light feel. While riding, you'll feel the comfort from the suspension components, the leather grips, and the comfortable gel seat.

- Stable frame available in versions with and without a top tube
- No chain, but a durable belt
- Leather handlebar grips and a gel seat for more comfort
- Powerful, hydraulic disc brakes

**VERSION:** 8-speed Shimano Nexus gears with Tektro HD-T280 hydraulic disc brakes **WEIGHT (KG):** 23 (excl. battery)  
**WEIGHT (LBS):** 54.2 (excl. battery) **LOW-STEP:** XS(46) | S(49) | M(53) | L(57) | XL(61) **COLOUR:** black matte | twilight green matte **HIGH-STEP:** L(57) | XL(61) **COLOUR:** black matte



**BOSCH**

**MIK**  
MOUNTING . IS . KEY



# Orange C8+

## Specifications

### Frame/Fork

- Frame: Stable, lightweight hydro-formed aluminium frame with 68.5° headset angle and 69.5° saddle tube angle for relaxed and comfortable riding. This is a low-step and spacious frame, single tube and lovely integrated cables.
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Telescope, spiral spring
- Fork travel: 50 mm
- Fork lockout: No
- Rear carrier: aluminum MIK system carrier

### Wheels/Tyres

- Tyre front: Schwalbe Energizer Active Plus, 47-622
- Tyre rear: Schwalbe Energizer Active Plus, 47-622
- Front rim: Rodi Viper, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Rodi Viper, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Shimano Nexus 8

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: manually steplessly adjustable
- Grips: Gazelle Aero Leather, luxury leather handlebar grips for a sophisticated feel and extra comfort
- Brake levers: Tektro

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-T280, 180 mm

- Rear brake: hydraulic disc brake, Tektro HD-T280, 160 mm
- Shifter: Shimano Nexus 8
- Front chain wheel: 46 Gates CDC
- Rear chain wheel: 22 Gates CDC
- Gear: Shimano Nexus 8
- Drivetrain: belt
- Chain/belt: Gates CDC

### Saddle

- Seatpost diameter: 27,2 mm
- Suspension y/n: Yes
- Saddle: Selle Royal Lena Gel

### Lighting

- Front light: Trelock Veo 50
- Frontlight lux: 50
- Front light energy source: battery
- Rear light: Spanninga Brasa
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Active Line Plus, 50 Nm
- Display: Bosch Purion 200
- Display Removeable: No
- Charger: Bosch Compact Charger, 2 Ah
- Watt hours: 400 Wh, 500 Wh
- Battery Position: integrated in the carrier

### Other

- Lock: Axa Defender
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G5173	Low-Step 46 S8 28"	001	black matte
G5174	Low-Step 49 S8 28"	001	black matte
G5175	Low-Step 53 S8 28"	001	black matte
G5176	Low-Step 57 S8 28"	001	black matte
G5177	Low-Step 61 S8 28"	001	black matte
G5184	Low-Step 49 S8 28"	905	twilight green matte
G5185	Low-Step 53 S8 28"	905	twilight green matte
G5186	Low-Step 57 S8 28"	905	twilight green matte
G5180	High-Step 57 S8 28"	001	black matte
G5181	High-Step 61 S8 28"	001	black matte

# Orange C8



ivory white matte



saturn blue matte



saturn blue matte

A riding position with a good view of your surroundings, a robust hydraulic braking system, high-grip hard-wearing handlebar grips and even easier mounting and dismounting – every aspect of the Orange C8 is reliable. In combination with the solid Bosch Active Line mid-drive motor, eight gears, sprung components and easy-to-adjust handlebar stem, this bike is multifunctional. A stable all-rounder that can take you anywhere.

- Stable frame available in versions with and without a top tube
- More comfort thanks to suspension components
- Powerful, hydraulic disc brakes
- Rear carrier with convenient MIK system

**VERSION:** 8-speed Shimano Nexus gears with Tektro HD-T280 hydraulic disc brakes **WEIGHT (KG):** 23.3 (excl. battery) **WEIGHT (LBS):** 51.1 (excl. battery) **LOW-STEP:** XS(46) | S(49) | M(53) | L(57) | XL(61) **COLOUR:** ivory white matte | saturn blue matte **HIGH-STEP:** L(57) | XL(61) **COLOUR:** saturn blue matte



**BOSCH**

**MIK**  
MOUNTING . IS . KEY



# Orange C8

## Specifications

### Frame/Fork

- Frame: Stable, lightweight hydro-formed aluminium frame with 68.5° headset angle and 69.5° saddle tube angle for relaxed and comfortable riding. This is a low-step and spacious frame, single tube and lovely integrated cables.
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Telescope, spiral spring
- Fork travel: 50 mm
- Fork lockout: No
- Rear carrier: aluminum MIK system carrier

### Wheels/Tyres

- Tyre front: Schwalbe Energizer Active Plus, 47-622
- Tyre rear: Schwalbe Energizer Active Plus, 47-622
- Front rim: Rodi Viper, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Rodi Viper, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Shimano Nexus 8

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: manually steplessly adjustable
- Grips: Gazelle Aerowing, plastic wear-resistant handlebar grips for a firm grasp
- Brake levers: Tektro

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-T280, 180 mm

- Rear brake: hydraulic disc brake, Tektro HD-T280, 160 mm
- Shifter: Shimano Nexus 8
- Front chain wheel: 38
- Rear chain wheel: 18
- Gear: Shimano Nexus 8
- Drivetrain: chain
- Chain/belt: KMC X8

### Saddle

- Seatpost diameter: 27,2 mm
- Suspension y/n: Yes
- Saddle: Selle Royal Herz

### Lighting

- Front light: Trelock Veo 50
- Frontlight lux: 50
- Front light energy source: battery
- Rear light: Spanninga Solo
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Active Line Plus, 50 Nm
- Display: Bosch Purion 200
- Display Removeable: No
- Charger: Bosch Compact Charger
- Watt hours: 400 Wh, 500 Wh
- Battery Position: integrated in the carrier

### Other

- Lock: Axa Defender
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G5215	Low-Step 49 S8 28"	322	ivory white matte
G5216	Low-Step 53 S8 28"	322	ivory white matte
G5217	Low-Step 57 S8 28"	322	ivory white matte
G5201	Low-Step 46 S8 28"	480	saturn blue matte
G5202	Low-Step 49 S8 28"	480	saturn blue matte
G5203	Low-Step 53 S8 28"	480	saturn blue matte
G5204	Low-Step 57 S8 28"	480	saturn blue matte
G5205	Low-Step 61 S8 28"	480	saturn blue matte
G5211	High-Step 57 S8 28"	480	saturn blue matte
G5212	High-Step 61 S8 28"	480	saturn blue matte

# Orange C8 26"



saturn blue matte

A riding position with a good view of your surroundings, a robust hydraulic braking system, hard-wearing handlebar grips and even easier mounting and dismounting thanks to the smaller 26-inch wheels – every aspect of the Orange C8 26" is reliable. In combination with the solid Bosch Active Line Plus mid-drive motor, eight gears, suspension components and easy-to-adjust handlebar stem, this bike is multifunctional. A stable all-rounder that can take you anywhere.

- Stable frame with low step-through and 26" wheels
- More comfort thanks to suspension components
- Powerful, hydraulic disc brakes
- Rear carrier with convenient MIK system

**VERSION:** 8-speed Shimano Nexus gears with Tektro HD-T280 hydraulic disc brakes **WEIGHT (KG):** 23 (excl. battery)  
**WEIGHT (LBS):** 50.7 (excl. battery) **LOW-STEP:** XXS(42) | XS(46) **COLOUR:** saturn blue matte



**BOSCH**

**MIK**  
MOUNTING . IS . KEY



# Orange C8 26"

## Specifications

### Frame/Fork

- Frame: Lightweight aluminium frame with comfort geometry for stable and comfortable handling. Rear carrier integrated into the frame, low step-through frame with a single down tube for a low spacious step-through. Integrated cable routing.
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Telescope, spiral spring
- Fork travel: 40 mm
- Fork lockout: No
- Rear carrier: aluminum MIK system carrier

### Wheels/Tyres

- Tyre front: Schwalbe Energizer Active Plus, 47-559
- Tyre rear: Schwalbe Energizer Active Plus, 47-559
- Front rim: Mach1 910, double-walled aluminium for extra strength and efficient cycling performance
- Rear rim: Mach1 910, double-walled aluminium for extra strength and efficient cycling performance
- Rear hub: Shimano Nexus 8

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle Switch, manually steplessly adjustable
- Grips: Gazelle Aerowing, plastic wear-resistant handlebar grips for a firm grasp
- Brake levers: Tektro

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro T280, 180 mm
- Rear brake: hydraulic disc brake, Tektro HD-T280, 160 mm
- Shifter: Shimano Nexus 8
- Front chain wheel: 38
- Rear chain wheel: 17
- Gear: Shimano Nexus 8
- Drivetrain: chain
- Chain/belt: KMC X8

### Saddle

- Seatpost diameter: 27,2 mm
- Suspension y/n: Yes
- Saddle: Selle Royal Herz

### Lighting

- Front light: Trelock Veo 50
- Frontlight lux: 50
- Front light energy source: battery
- Rear light: Spanninga Solo
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Active Line Plus, 50 Nm
- Display: Bosch Purion 200
- Display Removeable: No
- Charger: Bosch, 2 Ah
- Watt hours: 400 Wh, 500 Wh
- Battery Position: integrated in the carrier

### Other

- Lock: Axa Atlas, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G5226	Low-Step 42 S8 26"	480	saturn blue matte
G5227	Low-Step 46 S8 26"	480	saturn blue matte




# Paris

Gazelle Paris is an e-bike with a strong foundation. The comfortable upright position and the stable, lightweight aluminium frame with a low, wide step-through ensure a relaxed ride. What's more, the array of top-quality components make you feel safe on the road. Simply put — durable cycling fun guaranteed!

## Geometry

The geometry of a bicycle is about more than just the size. With the geometry table you can make a proper comparison between the various frame sizes and bicycle models. This provides you with a clear picture of the sitting position and the bicycle's handling. The purpose of this is to provide your customer with even better advice.

Always bear in mind that different handlebars and (adjustable) stems can have a significant effect on the sitting position. This is not included in this table.



## Paris

Frame size, low-step	XS (46)	S (49)	M (53)	L (57)	XL (61)
A Size (mm)	460	490	530	570	610
B Effective top tube length (mm)	571	582	593	605	614
C Head tube angle (°)	68,5	68,5	68,5	68,5	68,5
D Effective seat tube angle (°)	69,5	69,5	69,5	69,5	69,5
E Chain stay length (mm)	482	482	482	482	482
F BB Drop (mm)	60	60	60	60	60
G Head tube length (mm)	145	145	165	165	185
H Fork length (mm)	475	475	475	475	475
I Fork offset (mm)	55	55	55	55	55
J Wheelbase (mm)	1097	1108	1120	1131	1141
K Stack (mm)	621	621	640	640	658
L Reach (mm)	339	350	354	366	368

Frame size, high-step	M (53)	L (57)	XL (61)	XXL (65)
A Size (mm)	530	570	610	650
B Effective top tube length (mm)	593	605	615	624
C Head tube angle (°)	68,5	68,5	68,5	68,5
D Effective seat tube angle (°)	69,5	69,5	69,5	69,5
E Chain stay length (mm)	482	482	482	482
F BB Drop (mm)	60	60	60	60
G Head tube length (mm)	145	145	165	185
H Fork length (mm)	475	475	475	475
I Fork offset (mm)	55	55	55	55
J Wheelbase (mm)	1120	1131	1141	1151
K Stack (mm)	621	621	640	658
L Reach (mm)	361	373	376	378






## Lots of convenience

The foundation of the Paris is a sturdy aluminium frame with a low, wide step-through, allowing you to get on and off with ease. The battery is mounted on the luggage carrier. This is nice and practical, as you can easily slide it in and out. The luggage carrier is also equipped with the MIK system, allowing you to attach a bag, basket or any other accessory with a single click. All your belongings can come with you!

## Reliable through and through

The Paris is reliable through and through, thanks in part to its stable, durable frame. You have lots of control and can load the bike with all kinds of belongings. The disc brakes are comfortable, and brake powerfully even when it rains. This means that you can precisely control the braking power. The Paris is powered by the reliable Bosch mid-drive motor.



## Nice and comfortable

Hop on the Paris, and you'll immediately notice how comfortable everyday rides are. You sit in a comfortable upright position, which gives you more control and lets you relax. The Paris also features suspension parts, so you can take it on cobbled roads with ease. The damping is excellent. The wide tyres (47 millimetres) also absorb vibrations well and provide plenty of grip.

	Paris C7+	Paris C7
Gears	7	7
Motor	Bosch Active Line Plus (50 Nm)	Bosch Active Line (40 Nm)
Battery choice	400 Wh / 500 Wh	400 Wh / 500 Wh
Hydraulic disc brakes	✓	✓
Suspension front fork	✓	✓
Suspension seatpost	✓	
Handlebar is adjustable without tools	✓	
Display	Purion 200	Purion 200



# Paris C7+



thyme green matte



anthracite grey matte



anthracite grey matte

The Paris C7+ is a durable and reliable choice. The foundation of the Paris C7+ is a stable aluminium frame with a low, wide step-through. Integrated into this frame is the agile Bosch Active Line Plus mid-drive motor (50 Nm). It allows you to mount and dismount with ease, ride with great comfort and enjoy a host of top-quality components.

- Suspension fork and seatpost
- Powerful hydraulic disc brakes
- Gazelle Switch: the infinitely adjustable handlebar stem
- Bosch's mid-drive motor provides welcome assistance when you need it

**VERSION:** 7-speed Shimano Nexus gears with Tektro HD-T280 hydraulic disc brakes **WEIGHT (KG):** 24.8 (excl. battery) **WEIGHT (LBS):** 54.7 (excl. battery) **LOW-STEP:** XS(46) | S(49) | M(53) | L(57) | XL(61) **COLOUR:** anthracite grey matte | thyme green matte **HIGH-STEP:** M(53) | L(57) | XL(61) | XXL(65) **COLOUR:** anthracite grey matte



**BOSCH**

**MIK**  
MOUNTING . IS . KEY



# Paris C7+

## Specifications

### Frame/Fork

- Frame: Lightweight aluminium frame with comfort geometry for stable and comfortable handling. Rear carrier integrated into the frame, low step-through frame with a single down tube for a low spacious step-through. Integrated cable routing.
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Telescope, spiral spring
- Fork travel: 50 mm
- Fork lockout: No
- Rear carrier: aluminum MIK system carrier

### Wheels/Tyres

- Tyre front: Schwalbe Energizer Active Plus, 47-622
- Tyre rear: Schwalbe Energizer Active Plus, 47-622
- Front rim: Ryde ZAC 421, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde ZAC 421, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Shimano Nexus 7

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: manually steplessly adjustable
- Grips: Gazelle Aerowing, plastic wear-resistant handlebar grips for a firm grasp
- Brake levers: Tektro

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G4157	Low-Step 46 S7 28"	822	anthracite grey matte
G4158	Low-Step 49 S7 28"	822	anthracite grey matte
G4159	Low-Step 53 S7 28"	822	anthracite grey matte
G4160	Low-Step 57 S7 28"	822	anthracite grey matte
G4161	Low-Step 61 S7 28"	822	anthracite grey matte
G4169	Low-Step 49 S7 28"	907	thyme green matte
G4170	Low-Step 53 S7 28"	907	thyme green matte
G4171	Low-Step 57 S7 28"	907	thyme green matte
G4164	High-Step 53 S7 28"	822	anthracite grey matte
G4165	High-Step 57 S7 28"	822	anthracite grey matte
G4166	High-Step 61 S7 28"	822	anthracite grey matte
G4167	High-Step 65 S7 28"	822	anthracite grey matte

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-T280, 180 mm
- Rear brake: hydraulic disc brake, Tektro HD-T280, 160 mm
- Shifter: Shimano Nexus 7
- Front chain wheel: 38
- Rear chain wheel: 18
- Gear: Shimano Nexus 7
- Drivetrain: chain
- Chain/belt: KMC X8, extra strong, special for e-bike

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: Yes
- Saddle: Selle Royal

### Lightning

- Front light: AXA Blue Line 30
- Frontlight lux: 30
- Front light energy source: battery
- Rear light: Trelock LS 611
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Active Line Plus, 50 Nm
- Display: Bosch Purion 200
- Display Removeable: No
- Charger: Bosch Compact Charger, 2 Ah
- Watt hours: 400 Wh, 500 Wh
- Battery Position: integrated in the carrier

### Other

- Lock: Axa Defender, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 150 kg

# Paris C7



light olive matte



graphite blue matte



graphite blue matte

Looking for a reliable quality bike? Then the Paris C7 is the bike for you. It starts with a stable frame featuring a low, wide entry. Integrated within is the dependable Bosch Active Line mid-drive motor (40 Nm). You'll experience high levels of comfort and safety due to smart choices in top-quality components. In short, a solid foundation.

- Front fork suspension absorbs all bumps
- Powerful hydraulic disc brakes
- Easy to control display
- Rear carrier with convenient MIK system

**VERSION:** 7-speed Shimano Nexus gears with Tektro HD-T280 hydraulic disc brakes **WEIGHT (KG):** 24.7 (excl. battery)  
**WEIGHT (LBS):** 54.5 (excl. battery) **LOW-STEP:** XS(46) | S(49) | M(53) | L(57) | XL(61) **COLOUR:** graphite blue matte | light olive matte **HIGH-STEP:** M(53) | L(57) | XL(61) | XXL(65) **COLOUR:** graphite blue matte



**BOSCH**

**MIK**  
MOUNTING . IS . KEY



# Paris C7

## Specifications

### Frame/Fork

- Frame: Lightweight aluminium frame with comfort geometry for stable and comfortable handling. Rear carrier integrated into the frame, low step-through frame with a single down tube for a low spacious step-through. Integrated cable routing.
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Telescope, spiral spring
- Fork travel: 50 mm
- Fork lockout: No
- Rear carrier: aluminum MIK system carrier

### Wheels/Tyres

- Tyre front: Schwalbe Energizer Active Plus, 47-622
- Tyre rear: Schwalbe Energizer Active Plus, 47-622
- Front rim: Ryde ZAC 421, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde ZAC 421, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Shimano Nexus 7

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: with toolbox, steplessly adjustable
- Grips: Gazelle Aerowing, plastic wear-resistant handlebar grips for a firm grasp
- Brake levers: Tektro

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G4405	Low-Step 46 S7 28"	645	graphite blue matte
G4406	Low-Step 49 S7 28"	645	graphite blue matte
G4407	Low-Step 53 S7 28"	645	graphite blue matte
G4408	Low-Step 57 S7 28"	645	graphite blue matte
G4409	Low-Step 61 S7 28"	645	graphite blue matte
G4417	Low-Step 49 S7 28"	887	light olive matte
G4418	Low-Step 53 S7 28"	887	light olive matte
G4419	Low-Step 57 S7 28"	887	light olive matte
G4412	High-Step 53 S7 28"	645	graphite blue matte
G4413	High-Step 57 S7 28"	645	graphite blue matte
G4414	High-Step 61 S7 28"	645	graphite blue matte
G4415	High-Step 65 S7 28"	645	graphite blue matte

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-T280, 180 mm
- Rear brake: hydraulic disc brake, Tektro HD-T280, 160 mm
- Shifter: Shimano Nexus 7
- Front chain wheel: 38
- Rear chain wheel: 18
- Gear: Shimano Nexus 7
- Drivetrain: chain
- Chain/belt: KMC X8, extra strong, special for e-bike

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: No
- Saddle: Selle Royal

### Lightning


- Front light: AXA Blue Line 30
- Frontlight lux: 30
- Front light energy source: battery
- Rear light: Trelock LS 611
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Active Line, 40 Nm
- Display: Bosch Purion 200
- Display Removeable: No
- Charger: Bosch Compact Charger, 2 Ah
- Watt hours: 400 Wh, 500 Wh
- Battery Position: integrated in the carrier

### Other

- Lock: Axa Defender, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 150 kg




# Eclipse

New smells, new colours. New places, new roads. You're ready for a new adventure. This gives you energy and it will only get better if you experience it properly. We've brought together design, power, and precision in one design: the Gazelle Eclipse. So you can focus on the world around you.

## Geometry

The geometry of a bicycle is about more than just the size. With the geometry table you can make a proper comparison between the various frame sizes and bicycle models. This provides you with a clear picture of the sitting position and the bicycle's handling. The purpose of this is to provide your customer with even better advice.

Always bear in mind that different handlebars and (adjustable) stems can have a significant effect on the sitting position. This is not included in this table.




## Eclipse

Frame size, low-step	S (45)	M (50)	L (55)	XL (60)
A Size (mm)	450	500	550	600
B Effective top tube length (mm)	583	583	603	623
C Head tube angle (°)	70,5	70,5	70,5	70,5
D Effective seat tube angle (°)	71,5	71,5	71,5	71,5
E Chain stay length (mm)	488	488	488	488
F BB Drop (mm)	55	55	55	55
G Head tube length (mm)	198	198	213	228
H Fork length (mm)	464	464	464	464
I Fork offset (mm)	44	44	44	44
J Wheelbase (mm)	1108	1108	1128	1149
K Stack (mm)	665	665	679	693
L Reach (mm)	360	360	376	391

Frame size, high-step	S (45)	M (50)	L (55)	XL (60)
A Size (mm)	450	500	550	600
B Effective top tube length (mm)	603	603	618	638
C Head tube angle (°)	70,5	70,5	70,5	70,5
D Effective seat tube angle (°)	71,5	71,5	71,5	71,5
E Chain stay length (mm)	488	488	488	488
F BB Drop (mm)	55	55	55	55
G Head tube length (mm)	198	198	213	228
H Fork length (mm)	464	464	464	464
I Fork offset (mm)	44	44	44	44
J Wheelbase (mm)	1128	1128	1143	1164
K Stack (mm)	665	665	679	693
L Reach (mm)	380	380	391	406





## Design

The Eclipse boasts a striking, award-winning design. Paying attention to detail and functionality, our designers have successfully created the perfect combination of a bike that accommodates a large battery and has an active riding posture. A well-designed riding position gives you control and a good view of your surroundings. Perfect for endless adventures.

## Power

The Eclipse comes with the most powerful Bosch Performance Line CX mid-motor and largest battery with a capacity of 750 Wh. With this you can reach any destination. You control the e-bike system with the compact yet comprehensive Kiox display, that also allows you to navigate.



## Precision

The Eclipse has Gazelle's recognisable, robust, and unique V-shape handlebar stem. Together with the suspension fork, the handlebar stem ensures perfect handling. The extra wide tyres and disc brakes give you maximum stability and precision through every corner.

	Eclipse C380	Eclipse T11
Gears	Continuously variable Enviolo Trekking Manual	11 Shimano Deore XT
Motor	Bosch Performance Line Speed (85 Nm)	Bosch Performance Line CX (85 Nm)
Battery choice	750 Wh	750 Wh
Battery integrated into frame	✓	✓
Hydraulic disc brakes	✓	✓
Belt drive	✓	
Gazelle Connect	✓	✓



# Eclipse C380



metallic orange matte



anthracite grey matte



anthracite grey matte

Navigate through traffic easily on your way to work or on a long adventure through nature. The Eclipse C380 takes you where you want effortlessly. Your ride is never long enough thanks to the classic Gazelle geometry and active seat that offers the comfort you want. The powerful e-bike system and huge large battery capacity ensure you can always keep going. The handy MIK HD carrier allows you to easily take the things you need to work or on a day out in nature.

- Powerful e-bike system
- The Enviolo gear hub enables stepless shifting
- The belt drive requires little to no maintenance
- Gazelle Connect: smart protection against theft

**VERSION:** Enviolo Trekking Manual stepless gear system with Shimano MT-420 hydraulic disc brakes **WEIGHT (KG):** 28.3 (excl. battery) **WEIGHT (LBS):** 62.4 (excl. battery) **LOW-STEP:** S(45) | M(50) | L(55) | XL(60) **COLOUR:** anthracite grey matte | metallic orange matte **HIGH-STEP:** M(50) | L(55) | XL(60) **COLOUR:** anthracite grey matte



**BOSCH**



**GPS-PROTECTED**



# Eclipse C380

## Specifications

### Frame/Fork

- Frame: Aluminium frame with 71.5° seat tube angle and 70.5° head tube angle. Sporty seat and dynamic handling. Battery capacity of up to 750 Wh available for each ride.
- Sitting Position: Active
- Frame cables integrated: Yes
- Fork: SR Suntour MOBIE25, Telescope, spiral spring
- Fork travel: 63 mm
- Fork lockout: Yes
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe Marathon Efficiency, 60-584
- Tyre rear: Schwalbe Marathon Efficiency, 60-584
- Front rim: Ryde ZAC 25, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde ZAC 25, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Enviolo Trekking Manual, continuously variable gears

### Stem/Handlebar

- Handlebar: aluminum, slightly curved
- Stem: with toolbox, steplessly adjustable
- Grips: Ergon GPI-L ergonomic, plastic handlebar grips with ergonomic form for a better distribution of pressure on the hands
- Brake levers: Shimano BL-MT420

### Transmission/brakes

- Front brake: hydraulic disc brake, Shimano BR-MT420, 180 mm 4 piston

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G4490	Low-Step 50 SE 27.5"	822	anthracite grey matte
G4491	Low-Step 55 SE 27.5"	822	anthracite grey matte
G4492	Low-Step 60 SE 27.5"	822	anthracite grey matte
G3637	Low-Step 45 SE 27.5"	906	metallic orange matte
G3638	Low-Step 50 SE 27.5"	906	metallic orange matte
G3639	Low-Step 55 SE 27.5"	906	metallic orange matte
G3640	Low-Step 60 SE 27.5"	906	metallic orange matte
G3645	High-Step 50 SE 27.5"	822	anthracite grey matte
G3646	High-Step 55 SE 27.5"	822	anthracite grey matte
G3647	High-Step 60 SE 27.5"	822	anthracite grey matte

- Rear brake: hydraulic disc brake, Shimano BR-MT420, 180 mm, 4 piston
- Shifter: Enviolo Trekking
- Front chain wheel: 50 Gates CDX
- Rear chain wheel: 22 Gates CDX
- Gear: Enviolo Trekking Manual, Stepless gear system
- Drivetrain: belt
- Chain/belt: Gates CDX

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: No
- Saddle: Selle Royal Essenza Plus gel

### Lighting

- Front light: Herrmans H-black PRO
- Frontlight lux: 100
- Front light energy source: battery
- Rear light: Spanninga Commuter Glow
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Performance Line CX, 85 Nm
- Display: Bosch Kiox 300
- Display Removeable: Yes
- Charger: Bosch Standard Charger, 4 Ah
- Watt hours: 750 Wh
- Battery Position: integrated in the frame

### Other

- Lock: Axa Imenso, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 150 kg

# Eclipse T11



thyme green matte



anthracite grey matte



anthracite grey matte

The Eclipse T11 is the perfect partner for a pleasant bike tour. The striking and attractive Gazelle active geometry mean that no ride feels too long. The precise Shimano derailleur allows for easy shifting between 11 different gears. Thanks to the powerful e-bike system and the fully featured integrated display you have full control. You can even navigate! The extra wide tyres and suspension fork allow you to cross any terrain. Embark on an adventure with an Eclipse T11!

- Powerful e-bike system
- 11 gears provide a wide gear range
- The wide tyres will take you anywhere
- Gazelle Connect: smart protection against theft

**VERSION:** 11-speed Shimano Deore XT gears with Shimano MT-420 hydraulic disc brakes **WEIGHT (KG):** 27.2 (excl. battery) **WEIGHT (LBS):** 60 (excl. battery) **LOW-STEP:** S(45) | M(50) | L(55) | XL(60) **COLOUR:** anthracite grey matte | thyme green matte **HIGH-STEP:** M(50) | L(55) | XL(60) **COLOUR:** anthracite grey matte



**BOSCH**

**MIK**  
MOUNTING . IS . KEY



**GPS-PROTECTED**



# Eclipse T11

## Specifications

### Frame/Fork

- Frame: Aluminium frame with 71.5° seat tube angle and 70.5° head tube angle. Sporty seat and dynamic handling. Battery capacity of up to 750 Wh available for each ride.
- Sitting Position: Active
- Frame cables integrated: Yes
- Fork: SR Suntour MOBIE25, Telescope, spiral spring
- Fork travel: 63 mm
- Fork lockout: Yes
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe Marathon Efficiency, 60-584
- Tyre rear: Schwalbe Marathon Efficiency, 60-584
- Front rim: Ryde ZAC 25, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde ZAC 25, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano HB-TC500
- Rear hub: Shimano FH-MT400

### Stem/Handlebar

- Handlebar: aluminum, slightly curved
- Stem: with toolbox, steplessly adjustable
- Grips: Ergon GP1-L ergonomic, plastic handlebar grips with ergonomic form for a better distribution of pressure on the hands
- Brake levers: Shimano BL-MT420

### Transmission/brakes

- Front brake: hydraulic disc brake, Shimano BR-MT420, 180 mm 4 piston

- Rear brake: hydraulic disc brake, Shimano BR-MT420, 180 mm, 4 piston
- Shifter: Shimano Deore XT
- Front chain wheel: 42
- Gear: Shimano Deore XT
- Derailleur rear: Shimano Deore XT M8130
- Drivetrain: chain
- Chain/belt: KMC E500EPT
- Cassette Range: 11-50

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: No
- Saddle: Selle Royal Essenza Plus gel

### Lightning

- Front light: Herrmans H-black PRO
- Frontlight lux: 100
- Front light energy source: battery
- Rear light: Spanninga Commuter Glow
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Performance Line CX, 85 Nm
- Display: Bosch Kiox 300
- Display Removeable: Yes
- Charger: Bosch, 4 Ah
- Watt hours: 750 Wh
- Battery Position: integrated in the frame

### Other

- Lock: Axa Imenso, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 150 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G3665	Low-Step 50 S11 27.5"	822	anthracite grey matte
G3666	Low-Step 55 S11 27.5"	822	anthracite grey matte
G3667	Low-Step 60 S11 27.5"	822	anthracite grey matte
G4495	Low-Step 45 S11 27.5"	907	thyme green matte
G4496	Low-Step 50 S11 27.5"	907	thyme green matte
G4497	Low-Step 55 S11 27.5"	907	thyme green matte
G4498	Low-Step 60 S11 27.5"	907	thyme green matte
G3672	High-Step 50 S11 27.5"	822	anthracite grey matte
G3673	High-Step 55 S11 27.5"	822	anthracite grey matte
G3674	High-Step 60 S11 27.5"	822	anthracite grey matte




# Ultimate

Experience the ultimate feeling of freedom. The sporty appearance and sleek design, combined with extra comfort, make the Ultimate perfect for your active life.

## Geometry

The geometry of a bicycle is about more than just the size. With the geometry table you can make a proper comparison between the various frame sizes and bicycle models. This provides you with a clear picture of the sitting position and the bicycle's handling. The purpose of this is to provide your customer with even better advice.

Always bear in mind that different handlebars and (adjustable) stems can have a significant effect on the sitting position. This is not included in this table.



## Ultimate

Frame size	XS (46)	S (49)	M (53)	L (57)	XL (61)	XXL (65)
A Size (mm)	460	490	530	570	610	650
B Effective top tube length (mm)	593	593	593	613	613	613
C Head tube angle (°)	70.5	70.5	70.5	70.5	70.5	70.5
D Effective seat tube angle (°)	71.5	71.5	71.5	71.5	71.5	71.5
E Chain stay length (mm)	494	494	494	494	494	494
F BB Drop (mm)	55	55	55	55	55	55
G Head tube length (mm)	145	145	145	165	165	165
H Fork length (mm)	485	485	485	485	485	485
I Fork offset (mm)	50	50	50	50	50	50
J Wheelbase (mm)	1131	1131	1131	1151	1151	1151
K Stack (mm)	635	635	635	653	653	653
L Reach (mm)	381	381	381	394	394	394





## Dynamic

The dynamic design, metallic colours, and extra attention to integration and finishing make the Ultimate a true eye-catcher. The design and stiff frame ensure dynamic and stable riding behaviour. In an active seating position, you have overview and control.

## Sporty and comfortable

Sporty and comfortable, that's the Ultimate. You experience extra comfort thanks to the air-sprung telescopic front fork. You don't immediately see it: the seat post is also spring-loaded, so you feel less of the unevenness. Prefer to sit a little more upright? The stem is adjustable.



## Endless riding

With the large battery - up to 800 Wh - you have an enormous range. Thanks to the charging plug behind the saddle, you can even attach the Bosch Powermore 250 battery to your seat tube and have more than 1000 Wh capacity. Endless riding indeed!

	Ultimate C380	Ultimate T11	Ultimate C5+
Gears	Continuously variable Enviolo Trekking Manual	11	5
Motor	Bosch Performance Line PX (85 Nm)	Bosch Performance Line PX (85 Nm)	Bosch Performance Line (75 Nm)
Battery choice	540 Wh / 600 Wh / 800 Wh	540 Wh / 600 Wh / 800Wh	540 Wh / 600 Wh / 800 Wh
Battery integrated into frame	✓	✓	✓
Hydraulic disc brakes	✓	✓	✓
Belt drive	✓		✓
Display	Kiox 500	Kiox 300	Kiox 300



# Ultimate C380



dew green matte



teal grey matte



teal grey matte

Sporty and comfortable, that's the Ultimate. The sporty appearance and sleek design, combined with extra comfort, make this e-bike perfect for your active life. The stepless Enviolo Trekking gear, the powerful and quiet Bosch PX motor, and the large Kiox 500 colour display make the Ultimate C380 the ultimate touring bike.

- Stepless in the right gear
- Lots of motor power and yet quiet
- Quiet and low-maintenance belt
- Extra-large Kiox 500 display with smartphone connectivity

**VERSION:** Enviolo Trekking Manual stepless gear system with Shimano MT-420 hydraulic disc brakes **WEIGHT (KG):** 27 (excl. battery) **WEIGHT (LBS):** LOW-STEP: XS(46) | S(49) | M(53) | L(57) | XL(61) **COLOUR:** dew green matte | teal grey matte **HIGH-STEP:** M(53) | L(57) | XL(61) | XXL(65) **COLOUR:** teal grey matte



**BOSCH**

**MIK**  
MOUNTING . IS . KEY



# Ultimate C380

## Specifications

### Frame/Fork

- Frame: Stable aluminium frame with 70,5° headset angle and 71,5° saddle tube angle for sporty cycling characteristics. Battery, motor and cables harmoniously integrated into the frame. High-quality finish with attention to detail.
- Sitting Position: Active / Upright
- Frame cables integrated: Yes
- Fork: SR Suntour MOBIE 34, AIR, Telescope, air
- Fork travel: 80 mm
- Fork lockout: Yes
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre front: Schwalbe The Green Marathon, 55-622, 80% recycled and renewable materials
- Tyre rear: Schwalbe The Green Marathon, 55-622, 80% recycled and renewable materials
- Front rim: Ryde ZAC 25, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde ZAC 25, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Enviolo Trekking Manual

### Stem/Handlebar

- Handlebar: aluminum, slightly curved
- Stem: Adjustable stem with Intelli-Mount interface for mounting your smartphone

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
BGA0313	Low-Step 46 SE 28"	899	teal grey matte
BGA0314	Low-Step 49 SE 28"	899	teal grey matte
BGA0315	Low-Step 53 SE 28"	899	teal grey matte
BGA0316	Low-Step 57 SE 28"	899	teal grey matte
BGA0317	Low-Step 61 SE 28"	899	teal grey matte
BGA0326	Low-Step 49 SE 28"	903	dew green matte
BGA0327	Low-Step 53 SE 28"	903	dew green matte
BGA0328	Low-Step 57 SE 28"	903	dew green matte
BGA0329	Low-Step 61 SE 28"	903	dew green matte
BGA0321	High-Step 53 SE 28"	899	teal grey matte
BGA0322	High-Step 57 SE 28"	899	teal grey matte
BGA0323	High-Step 61 SE 28"	899	teal grey matte
BGA0324	High-Step 65 SE 28"	899	teal grey matte

- Grips: Ergon GP1-L ergonomic, plastic handlebar grips with ergonomic form for a better distribution of pressure on the hands
- Brake levers: Shimano BL-MT420

### Transmission/brakes

- Front brake: hydraulic disc brake, Shimano MT420, 180 mm
- Rear brake: hydraulic disc brake, Shimano MT420, 160 mm
- Shifter: Enviolo Twist pure - Manual
- Front chain wheel: 55 Gates CDX
- Rear chain wheel: 24 Gates CDX
- Gear: Enviolo Trekking Manual
- Drivetrain: belt
- Chain/belt: Gates CDX

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: Yes
- Saddle: Selle Royal Essenza Plus gel

### Lightning

- Front light: Herrmans MR10
- Frontlight lux: 90
- Front light energy source: battery
- Rear light: Spanninga Commuter Glow
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Performance Line PX, 85 Nm
- Display: Bosch Kiox 500
- Display Removeable: Yes
- Charger: Bosch Standard Charger, 4 Ah
- Watt hours: 540 Wh, 600 Wh, 800 Wh
- Battery Position: integrated in the frame

### Other

- Lock: Axa Imenso
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 150 kg

# Ultimate T11



twilight green matte



twilight green matte

Sporty and comfortable, that's the Ultimate. The sporty appearance and sleek design, combined with extra comfort, make the Ultimate T11 perfect for your active life. With the Shimano Cues derailleur gear, Suntour fork, powerful and quiet Bosch PX motor, and wide Schwalbe knobby tyres, you master every terrain.

- Large gear range
- Lots of motor power and yet quiet
- Wide tyre with knobbled profile
- Robust Kiox 300 display with smartphone connectivity

**VERSION:** 11-speed Shimano Cues gears with Shimano MT-420 hydraulic disc brakes **WEIGHT (KG):** 26.2 (excl. battery)  
**WEIGHT (LBS):** **LOW-STEP:** XS(46) | S(49) | M(53) | L(57) | XL(61) **COLOUR:** twilight green matte **HIGH-STEP:** M(53) | L(57) | XL(61) | XXL(65) **COLOUR:** twilight green matte



**BOSCH**

**MIK**  
MOUNTING . IS . KEY



# Ultimate T11

## Specifications

### Frame/Fork

- Frame: Stable aluminium frame with 70,5° headset angle and 71,5° saddle tube angle for sporty cycling characteristics. Battery, motor and cables harmoniously integrated into the frame. High-quality finish with attention to detail.
- Sitting Position: Active / Upright
- Frame cables integrated: No
- Fork: SR Suntour MOBIE 34, AIR, Telescope, air
- Fork travel: 80 mm
- Fork lockout: Yes
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe Smart Sam, 54-622
- Tyre rear: Schwalbe Smart Sam, 54-622
- Front rim: Ryde ZAC 25, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde ZAC 25, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano

### Stem/Handlebar

- Handlebar: aluminum, slightly curved
- Stem: Adjustable stem with Intelli-Mount interface for mounting your smartphone
- Grips: Ergon GPI-L ergonomic, plastic handlebar grips with ergonomic form for a better distribution of pressure on the hands
- Brake levers: Shimano BL-MT420

### Transmission/brakes

- Front brake: hydraulic disc brake, Shimano MT420, 180 mm

- Rear brake: hydraulic disc brake, Shimano MT420, 160 mm
- Shifter: Shimano CUES
- Front chain wheel: 42
- Derailleur rear: Shimano Cues RD-U6000
- Drivetrain: chain
- Chain/belt: KMC E500EPT
- Cassette Range: 11-50

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: Yes
- Saddle: Selle Royal Essenza Plus gel

### Lighting

- Front light: Herrmans MR10
- Frontlight lux: 90
- Front light energy source: battery
- Rear light: Spanninga Commuter Glow
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Performance Line PX, 85 Nm
- Display: Bosch Kiox 300
- Display Removeable: Yes
- Charger: Bosch Standard Charger
- Watt hours: 540 Wh, 600 Wh, 800 Wh
- Battery Position: integrated in the frame

### Other

- Lock: Axa Imenso
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 150 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
BGA0385	Low-Step 46 S11 28"	905	twilight green matte
BGA0386	Low-Step 49 S11 28"	905	twilight green matte
BGA0387	Low-Step 53 S11 28"	905	twilight green matte
BGA0388	Low-Step 57 S11 28"	905	twilight green matte
BGA0389	Low-Step 61 S11 28"	905	twilight green matte
BGA0393	High-Step 53 S11 28"	905	twilight green matte
BGA0394	High-Step 57 S11 28"	905	twilight green matte
BGA0395	High-Step 61 S11 28"	905	twilight green matte
BGA0396	High-Step 65 S11 28"	905	twilight green matte

# Ultimate C5+



metallic orange matte



meteor grey matte



meteor grey matte

Sporty and comfortable, that's the Ultimate. The sporty appearance and sleek design, combined with extra comfort, make this e-bike the perfect city and touring bike in one. A quiet Bosch motor, shifting while you ride, a robust colour display, and a low-maintenance belt: the Ultimate C5+ is ready for your active life.

- Nexus 5 gear hub designed for e-bikes
- Whisper-quiet motor
- Quiet and low-maintenance belt
- Robust Kiox 300 display with smartphone connectivity

**VERSION:** 5-speed Shimano Nexus gears with Shimano MT200 hydraulic disc brakes **WEIGHT (KG):** 26.4 (excl. battery)  
**WEIGHT (LBS):** **LOW-STEP:** XS(46) | S(49) | M(53) | L(57) | XL(61) **COLOUR:** metallic orange matte | meteor grey matte  
**HIGH-STEP:** M(53) | L(57) | XL(61) | XXL(65) **COLOUR:** meteor grey matte

# Ultimate C5+

## Specifications

### Frame/Fork

- Frame: Stable aluminium frame with 70,5° headset angle and 71,5° saddle tube angle for sporty cycling characteristics. Battery, motor and cables harmoniously integrated into the frame. High-quality finish with attention to detail.
- Sitting Position: Active / Upright
- Frame cables integrated: Yes
- Fork: SR Suntour NVX32 Air, Telescope, air
- Fork travel: 80 mm
- Fork lockout: Yes
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre front: Schwalbe The Green Marathon, 55-622, 80% recycled and renewable materials
- Tyre rear: Schwalbe The Green Marathon, 55-622, 80% recycled and renewable materials
- Front rim: Ryde ZAC 25, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde ZAC 25, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Shimano Nexus 5

### Stem/Handlebar

- Handlebar: aluminum, slightly curved
- Stem: Adjustable stem with Intelli-Mount interface for mounting your smartphone

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
BGA0349	Low-Step 46 S5 28"	635	meteor grey matte
BGA0350	Low-Step 49 S5 28"	635	meteor grey matte
BGA0351	Low-Step 53 S5 28"	635	meteor grey matte
BGA0352	Low-Step 57 S5 28"	635	meteor grey matte
BGA0353	Low-Step 61 S5 28"	635	meteor grey matte
BGA0362	Low-Step 49 S5 28"	906	metallic orange matte
BGA0363	Low-Step 53 S5 28"	906	metallic orange matte
BGA0364	Low-Step 57 S5 28"	906	metallic orange matte
BGA0365	Low-Step 61 S5 28"	906	metallic orange matte
BGA0357	High-Step 53 S5 28"	635	meteor grey matte
BGA0358	High-Step 57 S5 28"	635	meteor grey matte
BGA0359	High-Step 61 S5 28"	635	meteor grey matte
BGA0360	High-Step 65 S5 28"	635	meteor grey matte

- Grips: Ergon GP1-L ergonomic, plastic handlebar grips with ergonomic form for a better distribution of pressure on the hands
- Brake levers: Shimano BL-MT200, Shimano BR-MT200

### Transmission/brakes

- Front brake: hydraulic disc brake, Shimano MT200, 180 mm
- Rear brake: hydraulic disc brake, Shimano MT200, 160 mm
- Shifter: Shimano Nexus 5
- Front chain wheel: 46 Gates CDC
- Rear chain wheel: 34 Gates CDX
- Gear: Shimano Nexus 5
- Drivetrain: belt
- Chain/belt: Gates CDC

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: Yes
- Saddle: Selle Royal Essenza Plus gel

### Lightning

- Front light: Herrmans MR9
- Frontlight lux: 60
- Front light energy source: battery
- Rear light: Spanninga Commuter Glow
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Performance Line, 75 Nm
- Display: Bosch Kiox 300
- Display Removeable: Yes
- Charger: Bosch Standard Charger, 4 Ah
- Watt hours: 540 Wh, 600 Wh, 800 Wh
- Battery Position: integrated in the frame

### Other

- Lock: Axa Imenso
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 150 kg




# Chamonix

If you want to go by bike. Then choose the Chamonix. Whether for the daily commute to work or that pleasant bike trip during your holiday. Whatever your plans, it's by bike! As you use the Chamonix for various purposes, we have ensured that the bike is as comfortable as possible.

## Geometry

The geometry of a bicycle is about more than just the size. With the geometry table you can make a proper comparison between the various frame sizes and bicycle models. This provides you with a clear picture of the sitting position and the bicycle's handling. The purpose of this is to provide your customer with even better advice.

Always bear in mind that different handlebars and (adjustable) stems can have a significant effect on the sitting position. This is not included in this table.



## Chamonix

Frame size, low-step	S (49)	M (53)	L (57)	XL (61)
A Size (mm)	490	530	570	610
B Effective top tube length (mm)	603	608	608	613
C Head tube angle (°)	69	70,5	70,5	70,5
D Effective seat tube angle (°)	71,5	71,5	71,5	71,5
E Chain stay length (mm)	471	471	471	471
F BB Drop (mm)	60	60	60	60
G Head tube length (mm)	145	165	185	220
H Fork length (mm)	485	485	485	485
I Fork offset (mm)	50	50	50	50
J Wheelbase (mm)	1132	1120	1121	1126
K Stack (mm)	636	662	681	714
L Reach (mm)	390	387	381	375

Frame size, high-step	M (53)	L (57)	XL (61)	XXL (65)
A Size (mm)	530	570	610	650
B Effective top tube length (mm)	608	609	614	623
C Head tube angle (°)	70,5	70,5	70,5	70,5
D Effective seat tube angle (°)	71,5	71,5	71,5	71,5
E Chain stay length (mm)	471	471	471	471
F BB Drop (mm)	60	60	60	60
G Head tube length (mm)	145	165	185	220
H Fork length (mm)	485	485	485	485
I Fork offset (mm)	50	50	50	50
J Wheelbase (mm)	1120	1121	1126	1136
K Stack (mm)	643	662	681	714
L Reach (mm)	393	387	386	384






## Great comfort, with a sporty look

As the Chamonix can be put to many uses, comfort is very important. But that is not to say that it doesn't have a sporty as well. The wide tyres, the comfortable saddle and the front fork suspension effortlessly absorb bumps on the road.

## The Chamonix is for everyone

The Chamonix will make you want to cycle even more often. Whether you are commuting, going to the beach or the city — with the smooth pedal assistance and the extremely quiet Gates belt drive, you'll be able to cycle everywhere, effortlessly.



## Battery choice up to 630 Wh

The electric Chamonix model has a powerful Shimano STEPS 6100 mid-mounted motor. Suitable for all trips that you make with the Chamonix. And if you go almost everywhere with your bike, you can opt for a battery with an extra large capacity. Because with the 630 Wh battery you can continue to cycle endlessly.

	Chamonix C5
Gears	5
Motor	Shimano EP6 (85 Nm)
Battery choice	504 Wh / 630 Wh
Battery integrated into frame	✓
Hydraulic disc brakes	✓
Cables integrated in the stem	✓
Belt drive	✓



# Chamonix C5



ink blue gloss



ink blue gloss

With the Chamonix C5, you might have to look twice to spot that it's an e-bike. The modern-style frame is available in a version with or without a top tube. The electric drive is well integrated and barely visible in both cases. Whether you are commuting, going to the beach or the city — with the smooth pedal assistance and the extremely quiet Gates belt drive, you'll be able to cycle everywhere, effortlessly.

- No chain, but a durable belt
- Adjustable handlebar stem and hidden cabling
- Nexus 5-gear hub designed for e-bikes
- Powerful, mid-drive Shimano motor

**VERSION:** 5-speed Shimano Nexus gears with Shimano MT200 disc brakes **WEIGHT (KG):** 25.2 (excl. battery)  
**WEIGHT (LBS):** 55.6 (excl. battery) **LOW-STEP:** S(49) | M(53) | L(57) | XL(61) **COLOUR:** ink blue gloss **HIGH-STEP:** M(53) | L(57) | XL(61) | XXL(65) **COLOUR:** ink blue gloss



# Chamonix C5

## Specifications

### Frame/Fork

- Frame: Sporty and stable aluminium frame with 70.5° head tube angle and 71.5° saddle tube angle. Cables are nicely concealed through the unique cable integration system. Battery integrated in the frame for large capacity (630 Wh)
- Sitting Position: Upright / Active
- Frame cables integrated: Yes
- Fork: Mono Integrated
- Fork travel: 40 mm
- Fork lockout: No
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe Big Apple, 50-622
- Tyre rear: Schwalbe Big Apple, 50-622
- Front rim: Mach1 910, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Mach1 910, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Shimano Nexus 5

### Stem/Handlebar

- Handlebar: aluminum, slightly curved
- Stem: manually steplessly adjustable
- Grips: Ergon GC10, plastic handlebar grips with ergonomic form for a better distribution of pressure on the hands
- Brake levers: Shimano BL-MT200

### Transmission/brakes

- Front brake: hydraulic disc brake, Shimano BR-MT200, 180 mm 2 piston
- Rear brake: hydraulic disc brake, Shimano BR-MT200, 160 mm, 2 piston

- Shifter: Shimano Nexus 5
- Front chain wheel: 39 Gates CDX
- Rear chain wheel: 28 Gates CDX
- Gear: Shimano Nexus 5
- Drivetrain: belt
- Chain/belt: Gates CDX

### Saddle

- Seatpost diameter: 27,2 mm
- Suspension y/n: Yes
- Saddle: BBB Diamond

### Lightning

- Front light: Trelock Veo 50
- Frontlight lux: 50
- Front light energy source: battery
- Rear light: AXA Blueline
- Rear light energy source: battery

### System

- Motor: Shimano EP6, 85 Nm
- Display: Shimano SC-EN610
- Display Removeable: No
- Charger: Shimano, 2 Ah
- Watt hours: 504 Wh, 630 Wh
- Battery Position: integrated in the frame

### Other

- Lock: Axa BlockXXL, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G3810	Low-Step 49 S5 28"	904	ink blue gloss
G3811	Low-Step 53 S5 28"	904	ink blue gloss
G3812	Low-Step 57 S5 28"	904	ink blue gloss
G3813	Low-Step 61 S5 28"	904	ink blue gloss
G3816	High-Step 53 S5 28"	904	ink blue gloss
G3817	High-Step 57 S5 28"	904	ink blue gloss
G3818	High-Step 61 S5 28"	904	ink blue gloss
G3819	High-Step 65 S5 28"	904	ink blue gloss

# Medeo


The Gazelle Medeo combines the best of two worlds. The performance and style components are based on sports bicycles and the comfort and ease of use are derived from urban bicycles. The result is a comfortable sporty e-bike you can use to navigate smoothly through town and which is suitable for the longer road to work.



## Geometry

The geometry of a bicycle is about more than just the size. With the geometry table you can make a proper comparison between the various frame sizes and bicycle models. This provides you with a clear picture of the sitting position and the bicycle's handling. The purpose of this is to provide your customer with even better advice.

Always bear in mind that different handlebars and (adjustable) stems can have a significant effect on the sitting position. This is not included in this table.



## Medeo T10

Frame size, low-step	S (45)	M (50)	L (55)	XL (60)
A Size (mm)	450	500	550	600
B Effective top tube length (mm)	589	610	613	630
C Head tube angle (°)	69	70	70	70
D Effective seat tube angle (°)	73	73	73	73
E Chain stay length (mm)	494	494	494	494
F BB Drop (mm)	60	60	60	60
G Head tube length (mm)	160	170	170	185
H Fork length (mm)	464	464	464	464
I Fork offset (mm)	44	44	44	44
J Wheelbase (mm)	1154	1164	1167	1184
K Stack (mm)	630	644	644	658
L Reach (mm)	397	414	416	429

## Medeo T9

Frame size, high-step	XS (40)	S (45)	M (50)	L (55)	XL (60)
A Size (mm)	400	450	500	550	600
B Effective top tube length (mm)	571	590	611	613	630
C Head tube angle (°)	69	69	70	70	70
D Effective seat tube angle (°)	73	73	73	73	73
E Chain stay length (mm)	495	495	495	495	495
F BB Drop (mm)	55	55	55	55	55
G Head tube length (mm)	160	160	170	170	185
H Fork length (mm)	464	464	464	464	464
I Fork offset (mm)	44	44	44	44	44
J Wheelbase (mm)	1137	1156	1166	1169	1187
K Stack (mm)	627	627	640	640	655
L Reach (mm)	379	398	415	418	430






## Best of both worlds

The Medeo provides the best of both worlds. When cycling and paying attention to the handling of the bike, you particularly notice its sporty characteristics. But when you park the bike and stand back and look at it, you are immediately struck by the typical influences of a city bike. Thanks to its many mounted components, the Medeo matches the comfort level and ease of use of the city bike. This all makes the Medeo a sporty, comfortable e-bike with a sleek finish and multifunctional usability.

## Manoeuvrable and sporty

The sporty side of the Medeo is largely thanks to the sleek design. The Medeo is exceptionally light, certainly for an e-bike. This also helps it to be pleasantly sporty. The bicycle responds smoothly to your steering and the force you apply to the pedals. The hydraulic Shimano disc brakes enable you to brake quickly and smoothly under all weather conditions. And thanks to the Bosch mid-mounted motor you can always count on powerful and silent assistance, also when you suddenly come up against hills along your cycle route.



## Ideal for the city

The practical finish and Gazelle's selection of components ensure that the Medeo can also function well as a city bike. Thanks to the wide tyres and the front fork suspension, the Medeo tackles cobblestones with ease and provides excellent cycling comfort. With the high-quality mudguards and gear case you don't have to wear waterproof trousers to protect you from splashing water. What's more, the Medeo has solid front and rear lights, a fixed lock and a sturdy side stand. A bag or basket can be quickly mounted onto the luggage carrier. There are also, of course, rubber straps.

	Medeo T10	Medeo T9
Gears	10	9
Motor	Bosch Performance Line (75 Nm)	Bosch Active Line Plus (50 Nm)
Battery choice	500 Wh / 625 Wh	400 Wh / 545 Wh
Battery integrated into frame	✓	
Hydraulic disc brakes	✓	✓
Display	Purion 200	Purion 200



# Medeo T10



turmeric yellow gloss



pine green gloss



pine green gloss

Commuting to work quickly, going to the city in style or relaxed riding on a rural bicycle route: The versatile and sporty Medeo T10 can be used for anything. Its clever weight distribution, wide tyres and ergonomic handlebar grips offer all the riding comfort you could want, and on top of that the powerful motor always provides a nice helping hand when you need it.

- The battery in the down tube improves road holding
- Wide tyres and sprung components
- 10-speed derailleur gearing
- Maximum braking performance in all weather conditions

**VERSION:** 10-speed Shimano Deore gears with Shimano BR-MT200 hydraulic disc brakes **WEIGHT (KG):** 25.2 (excl. battery) **WEIGHT (LBS):** 55.6 (excl. battery) **MID-STEP:** S(45) | M(50) | L(55) | XL(60) **COLOUR:** pine green gloss | turmeric yellow gloss **HIGH-STEP:** S(45) | M(50) | L(55) | XL(60) **COLOUR:** pine green gloss



**BOSCH**

**MIK**  
MOUNTING . IS . KEY



# Medeo T10

## Specifications

### Frame/Fork

- Frame: Stable lightweight aluminium sloping frame with 70,5° headset angle and 73° saddle tube angle for a sporty posture and precise handling. Cables beautifully integrated into the frame.
- Sitting Position: Sportive
- Frame cables integrated: Yes
- Fork: SR Suntour MOBIE A32 DS, Telescope, spiral spring
- Fork travel: 75 mm
- Fork lockout: Yes
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Continental Contact Plus, 62-584
- Tyre rear: Continental Contact Plus, 62-584
- Front rim: Ryde Big Bull, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde Big Bull, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano

### Stem/Handlebar

- Handlebar: aluminum, slightly curved
- Stem: with toolbox, steplessly adjustable
- Grips: Herrmans DD36, plastic wear-resistant handlebar grips for a firm grasp
- Brake levers: Shimano BL-MT200

### Transmission/brakes

- Front brake: hydraulic disc brake, Shimano BR-MT200, 180 mm 2 piston

- Rear brake: hydraulic disc brake, Shimano BR-MT200, 160 mm, 2 piston
- Shifter: Shimano Deore
- Front chain wheel: 38
- Gear: Shimano
- Derailleur rear: Shimano Deore
- Drivetrain: chain
- Chain/belt: KMC E500EPT
- Cassette Range: 11-48

### Saddle

- Seatpost diameter: 27,2 mm
- Suspension y/n: No
- Saddle: DDK

### Lightning

- Front light: AXA Compactline 35
- Frontlight lux: 35
- Front light energy source: battery
- Rear light: AXA Blueline
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Performance Line, 75 Nm
- Display: Bosch Purion 200
- Display Removeable: No
- Charger: Bosch, 2 Ah
- Watt hours: 500 Wh, 625 Wh
- Battery Position: integrated in the frame

### Other

- Lock: Axa Imenso, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G3767	Mid-Step 45 S10 28"	838	turmeric yellow gloss
G3768	Mid-Step 50 S10 28"	838	turmeric yellow gloss
G3769	Mid-Step 55 S10 28"	838	turmeric yellow gloss
G3756	Mid-Step 45 S10 28"	867	pine green gloss
G3757	Mid-Step 50 S10 28"	867	pine green gloss
G3758	Mid-Step 55 S10 28"	867	pine green gloss
G3760	Mid-Step 60 S10 28"	867	pine green gloss
G4318	High-Step 45 S10 28"	867	pine green gloss
G4319	High-Step 50 S10 28"	867	pine green gloss
G4320	High-Step 55 S10 28"	867	pine green gloss
G4321	High-Step 60 S10 28"	867	pine green gloss

# Medeo T9



champion red gloss



ink blue gloss



thunder grey gloss

You like going out for long bike rides. You love comfort but you are also price-conscious. Your sporty style demands a powerful motor and you need something to satisfy your eye for detail. That's why the Medeo T9 is perfect for you. The frame is stable and solid, just like everything else about this e-bike, from the handlebar stem to the tyres and from the MIK carrier to the headlight.

- One of Gazelle's lightest electric bikes
- Wide tyres and sprung components
- Powerful, hydraulic disc brakes
- Getting on and off is easy

**VERSION:** 9-speed Shimano Alivio gears with Shimano BR-MT200 hydraulic disc brakes **WEIGHT (KG):** 23.1 (excl. battery) **WEIGHT (LBS):** 50.9 (excl. battery) **LOW-STEP:** XS(40) | S(45) | M(50) | L(55) **COLOUR:** champion red gloss | ink blue gloss **HIGH-STEP:** M(50) | L(55) | XL(60) **COLOUR:** thunder grey gloss



**BOSCH**

**MIK**  
MOUNTING . IS . KEY



# Medeo T9

## Specifications

### Frame/Fork

- Frame: Stable lightweight aluminium sloping frame with 70,5° headset angle and 73° saddle tube angle for a sporty posture and precise handling. Cables beautifully integrated into the frame.
- Sitting Position: Sportive
- Frame cables integrated: Yes
- Fork: SR Suntour MOBIE A32 DS, Telescope, spiral spring
- Fork travel: 75 mm
- Fork lockout: Yes
- Rear carrier: aluminum MIK system carrier

### Wheels/Tyres

- Tyre Front: Continental Contact Plus, 62-584
- Tyre rear: Continental Contact Plus, 62-584
- Front rim: Ryde Big Bull, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde Big Bull, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano

### Stem/Handlebar

- Handlebar: aluminum, slightly curved
- Stem: with toolbox, steplessly adjustable
- Grips: Herrmans DD36, plastic wear-resistant handlebar grips for a firm grasp
- Brake levers: Shimano BL-MT200

### Transmission/brakes

- Front brake: hydraulic disc brake, Shimano BR-MT200, 180 mm 2 piston

- Rear brake: hydraulic disc brake, Shimano BR-MT200, 160 mm, 2 piston
- Shifter: Shimano Deore
- Front chain wheel: 38
- Gear: Shimano
- Derailleur rear: Shimano Deore
- Drivetrain: chain
- Cassette Range: 11-36

### Saddle

- Seatpost diameter: 27,2 mm
- Suspension y/n: No
- Saddle: DDK

### Lighting

- Front light: AXA Compactline 35
- Frontlight lux: 35
- Front light energy source: battery
- Rear light: AXA Blueline
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Active Line Plus, 50 Nm
- Display: Bosch Purion 200
- Display Removeable: No
- Charger: Bosch, 2 Ah
- Watt hours: 400 Wh, 545 Wh
- Battery Position: on the frame

### Other

- Lock: Axa Imenso, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G4278	Low-Step 40 S9 27.5"	375	champion red gloss
G4279	Low-Step 45 S9 27.5"	375	champion red gloss
G4280	Low-Step 50 S9 27.5"	375	champion red gloss
G4281	Low-Step 55 S9 27.5"	375	champion red gloss
G4267	Low-Step 40 S9 27.5"	904	ink blue gloss
G4268	Low-Step 45 S9 27.5"	904	ink blue gloss
G4269	Low-Step 50 S9 27.5"	904	ink blue gloss
G4270	Low-Step 55 S9 27.5"	904	ink blue gloss
G4275	High-Step 50 S9 27.5"	909	thunder grey gloss
G4276	High-Step 55 S9 27.5"	909	thunder grey gloss
G4277	High-Step 60 S9 27.5"	909	thunder grey gloss




# Esprit

The Esprit will serve you well for many years to come. Its integrated headlight is virtually indestructible and the smart lighting means you can see everything and everyone can see you! The wide tyres make your ride to school or work extra comfortable. Add the finishing touch to your Esprit with a front carrier.

## Geometry

The geometry of a bicycle is about more than just the size. With the geometry table you can make a proper comparison between the various frame sizes and bicycle models. This provides you with a clear picture of the sitting position and the bicycle's handling. The purpose of this is to provide your customer with even better advice.

Always bear in mind that different handlebars and (adjustable) stems can have a significant effect on the sitting position. This is not included in this table.



## Esprit

Frame size	XS(46)	S(49)	M(54)	L(59)	XL(64)
A Size (mm)	460	490	540	590	640
B Effective top tube length (mm)	565	566	587	608	628
C Head tube angle (°)	70	70	70	70	70
D Effective seat tube angle (°)	71	71	71	71	71
E Chain stay length (mm)	469	469	469	469	469
F BB Drop (mm)	55	55	55	55	55
G Head tube length (mm)	165	165	165	185	220
H Fork length (mm)	455	455	455	455	455
I Fork offset (mm)	55	55	55	55	55
J Wheelbase (mm)	1087	1088	1109	1131	1152
K Stack (mm)	616	616	616	635	668
L Reach (mm)	353	354	375	389	398





## See and be seen

At dusk or when it is dark, you obviously want to see and be seen well. The integrated headlight is characteristic of the Gazelle Esprit. It is both beautifully designed and practical. By being integrated, this headlight is virtually indestructible. It keeps you safe on your bike.

## Convenient front carrier

Add the finishing touch to your Esprit with a front carrier. This makes it easy for you to carry things with you on your bike.



## Sturdy frame

Whether you choose the frame with dual down tube for easy mounting or the classic men's frame with top tube, you are guaranteed a lifetime of enjoyable bike rides. Everything about the Esprit is sturdy and solid, from the aluminium rear carrier to the strong high rims and from the chain case to the optional robust front carrier.

	Esprit C7
Gears	7
Motor	Shimano EP5 (50 Nm)
Battery choice	418 Wh / 504 Wh
Integrated lighting	✓
Rollerbrakes	✓
Display position	Side



# Esprit C7



legion blue matte



moss green matte



space anthracite matte

You want an e-bike that you can ride every day without worrying if it will get you where you need to be. That's why you should choose the Esprit C7. The aluminium frame and the robust parts can withstand a knock. The Esprit is equipped with a powerful mid-drive motor, positioned low on the bike for optimum balance. This makes it even faster and more relaxing to ride to school or work. And then there's the styling: you'll want to be seen with it!

- Super-sturdy frame and sturdy front fork
- Powerful hydraulic disc brakes
- Lots of options for carrying your stuff
- An integrated headlight built to last

**VERSION:** 7-speed Shimano Nexus gears with Shimano BR-MT200 hydraulic disc brakes **WEIGHT (KG):** 23.3 (excl. battery) **WEIGHT (LBS):** 51.1 (excl. battery) **LOW-STEP:** XS(46) | S(49) | M(54) | L(59) **COLOUR:** legion blue matte | moss green matte **HIGH-STEP:** M(54) | L(59) | XL(64) **COLOUR:** space anthracite matte

# Esprit C7

## Specifications

### Frame/Fork

- Frame: Stable, lightweight oversized aluminium frame with 70.5° headset angle and 71.5° saddle tube angle gives positive steering characteristics. Low-step frame with spacious step-through, double tube.
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Rigid
- Fork lockout: No
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe Fat Frank, 50-622
- Tyre rear: Schwalbe Fat Frank, 50-622
- Front rim: Ryde Dutch, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde Dutch, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Shimano Nexus 7

### Stem/Handlebar

- Handlebar: aluminum, slightly curved
- Stem: with toolbox, steplessly adjustable
- Grips: plastic wear-resistant handlebar grips for a firm grasp
- Brake levers: Shimano BL-MT200

### Transmission/brakes

- Front brake: hydraulic disc brake, Shimano BR-MT200, 160 mm 2 piston
- Rear brake: hydraulic disc brake, Shimano BR-MT200, 160 mm, 2 piston

- Shifter: Shimano Nexus 7
- Front chain wheel: 38
- Rear chain wheel: 18
- Gear: Shimano Nexus 7
- Drivetrain: chain

### Saddle

- Seatpost diameter: 27,2 mm
- Suspension y/n: No
- Saddle: Selle Royal

### Lightning

- Front light: AXA Ecoline
- Frontlight lux: 30
- Front light energy source: battery
- Rear light: AXA Blueline
- Rear light energy source: battery

### System

- Motor: Shimano EP5, 50 Nm
- Display: Shimano SC-EN500
- Display Removeable: No
- Charger: Shimano EC-E6002, 2 Ah
- Watt hours: 418 Wh, 504 Wh
- Battery Position: on the frame

### Other

- Lock: Axa Imenso, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G5169	Low-Step 49 S7 28"	472	legion blue matte
G5170	Low-Step 54 S7 28"	472	legion blue matte
G5171	Low-Step 59 S7 28"	472	legion blue matte
G4644	Low-Step 46 S7 28"	850	moss green matte
G4645	Low-Step 49 S7 28"	850	moss green matte
G4646	Low-Step 54 S7 28"	850	moss green matte
G4647	Low-Step 59 S7 28"	850	moss green matte
G4640	High-Step 54 S7 28"	884	space anthracite matte
G4641	High-Step 59 S7 28"	884	space anthracite matte
G4643	High-Step 64 S7 28"	884	space anthracite matte

## Accessories

NO.	DESCRIPTION
313960500	Esprit metal front carrier



# Makki

The Makki is designed based on the input from parents and children. This makes the Makki not just any electric cargo bike, but one you and your children enjoy getting on every time. Its design focuses on safety and comfort, for both you and your little one(s).


## Accessories Makki



### Rain cover | 653121200C

The rain cover makes a trip with the Makki a pleasant outing even in the rain. Easy to hop in and out thanks to the wide openings.

- The rain cover is spacious and allows for good vision (for both children and parent) thanks to the many windows on the front, side and top
- The rain cover has been designed so that the seating on the front bench also remains comfortable



### Car seat adapter | 653120900

Your baby is seated safely in the Makki. The Maxi-Cosi is securely mounted using a simple click system


- Always eye contact with your child
- There is also enough room for your other children on the bench
- The car seat is fully surrounded by the deep Makki box



### Cover | 653121300C

The cover protects the Makki against rain and dirt when it is not being used.

- Made of high-grade polyester
- Side attachments using magnets



### Child seat adapter | 653121000

Your toddlers can also be seated securely in the child seat in the Makki.

- Adapter suitable for most child seats
- Child seat placed easily and safely in the Makki



### Front bench set | 65312110050

For an extra passenger or because it is actually fun sitting opposite one another!

- Complete with supplied belts
- So a friend can come along as well
- Always eye contact with your child



### Storage drawer | 65354010050

Drawer for under the rear bench, closed with integrated lock.

- Convenient for storing a second battery or other valuables
- Ideal for storing your cover or extra battery.






## A safe and high box

As a parent, you naturally want to make sure that your children sit safely in the box while you cycle. This is why the box on the Makki is extra high and made of an impact-resistant, soft and lightweight material (EPP). The high box provides your children with optimal protection, while still giving them the ease of stepping in and out of the box through the recesses on the sides of the box. Handy, isn't it?

## An innovative stand

In the parked position, the Makki stands firmly in place, even when the children step on and off it. This is thanks to its sturdy double kick stand. Are you ready to go? The stand is released with a simple foot movement; little or no effort is required. This innovative and patented stand is just one of the clever little features on the Makki that make a big difference.



## Makki accessories


The Makki can be expanded with attractive and practical accessories, making it even easier and safer to take your kids along with you. The front bench seat kit, car seat adapter, child seat adapter and storage drawer ensure that you can take everything and everyone with you. The protective cover and rain hood protect the occupants and items in the box from all weather conditions.

	Makki Travel	Makki Load	Makki Urban
Gears	Continuously variable Enviolo Heavy Duty	Continuously variable Enviolo Heavy Duty	Shimano Nexus 5
Motor	Bosch Performance Line Cargo (85 Nm)	Bosch Performance Line (75 Nm)	Bosch Active Line Plus (50 Nm)
Battery choice	400 Wh / 545 Wh / 800 Wh	400 Wh / 545 Wh / 800 Wh	400 Wh / 545 Wh / 800 Wh
ABS	✓		
Max. load	250 kg	250 kg	250 kg
Belt drive	✓	✓	✓
Display	Kiox 300	Purion 200	Purion 200
Gazelle Connect	✓	✓	
Gazelle Protect			✓

## Geometry

The geometry of a bicycle is about more than just the size. With the geometry table you can make a proper comparison between the various frame sizes and bicycle models. This provides you with a clear picture of the sitting position and the bicycle's handling. The purpose of this is to provide your customer with even better advice.

Always bear in mind that different handlebars and (adjustable) stems can have a significant effect on the sitting position. This is not included in this table.



## Makki

Frame size, low-step	S (49)
A Size (mm)	490
B Effective top tube length (mm)	560
C Head tube angle (°)	68
D Effective seat tube angle (°)	65
E Chain stay length (mm)	482
F BB Drop (mm)	44
G Head tube length (mm)	110
H Fork length (mm)	343
I Fork offset (mm)	45
J Wheelbase (mm)	2000
K Stack (mm)	603
L Reach (mm)	278



# Makki Travel



black matte / black gloss

Gazelle's premium cargo bike: the Makki Travel. With this cargo bike we have put even more effort into safety. The ABS system ensures effortless, powerful and controlled braking. Sometimes feel unsure biking in the dark? With the reflective stickers you will definitely be visible now. Plus, you'll outsmart thieves with the theft protection.

- ABS: extra safe braking
- Cycle easily with heavy loads thanks to the powerful mid-drive motor
- Easy to take off the stand
- Gazelle Connect: always know where your bike is

**VERSION:** Enviolo Heavy Duty with Magura MT C ABS hydraulic disc brakes **WEIGHT (KG):** 54.5 (excl. battery)  
**WEIGHT (LBS):** 120.2 (excl. battery) **LOW-STEP:** S(49) **COLOUR:** black matte / black gloss



**BOSCH**



**GPS-PROTECTED**



# Makki Travel

## Specifications

### Frame/Fork

- Frame: Robust backbone in which the motor, box and control system are as beautifully as they are safely integrated. 65° seat tube angle
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: SR Suntour MOBIE, Telescope, spiral spring
- Fork travel: 70 mm
- Fork lockout: Yes
- Rear carrier: aluminum

### Wheels/Tyres

- Tyre Front: CST Brooklyn, 55-406
- Tyre rear: CST Brooklyn, 55-559
- Front rim: Ryde Andra 40, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde Andra 29, double-walled aluminium for extra strong and efficient cycling performance
- Rear hub: Enviolo Heavy Duty, continuously variable gears

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: with toolbox, steplessly adjustable
- Grips: Gazelle Aero Leather, luxury leather handlebar grips for a sophisticated feel and extra comfort
- Brake levers: Magura

### Transmission/brakes

- Front brake: hydraulic disc brake, Magura, 180 mm 4 piston
- Rear brake: hydraulic disc brake, Magura MT C ABS, 180 mm, 4 piston
- Shifter: Enviolo Twist pure - Manual
- Front chain wheel: 50
- Rear chain wheel: 24
- Gear: Enviolo Heavy Duty manual, Stepless gear system
- Drivetrain: belt
- Chain/belt: Gates CDX

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: No
- Saddle: Selle Royal Essenza Plus

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G2813	Low-Step 49 SE 20"	001	black matte

### Lighting

- Front light: Spanninga Axendo 60
- Frontlight lux: 60
- Front light energy source: battery
- Rear light: Spanninga Solo
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Performance Line Cargo, 85 Nm
- Display: Bosch Kiox 300
- Display Removeable: Yes
- Charger: Bosch, 4 Ah
- Watt hours: 400 Wh, 545 Wh, 800 Wh
- Battery Position: on the frame

### Other

- Lock: Abus 4750L, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Gazelle, centered double stand
- Maximum weight: 250 kg

## Accessories

NO.	DESCRIPTION
653120900	Car seat adapter Makki
653121000	Child seat adapter
653121200C	Rain hood
65312110050	Storage drawer (black)
65354010050	Front bench set (black)
653121300C	Cover

# Makki Load



black matte / avalon blue matte

We wanted the ideal electric cargo bike for parents and children. So we designed one based on their input. The result: Makki Load. A comfortable cargo bike that meets all safety standards and, above all, is easy to handle for both the cyclist and the little ones in the cargo. Thanks to the many accessories, the Makki Load is a perfect alternative to a second car.

- Kids are safe and secure
- The stand is released with a simple foot movement
- Children can get in and out quickly and easily
- Gazelle Connect: always know where your bike is

**VERSION:** Enviolo Heavyduty with Tektro HD-M750 hydraulic disc brakes **WEIGHT (KG):** 54.5 (excl. battery)  
**WEIGHT (LBS):** 120.2 (excl. battery) **LOW-STEP:** S(49) **COLOUR:** black matte / avalon blue matte



**BOSCH**



**GPS-PROTECTED**



# Makki Load

## Specifications

### Frame/Fork

- Frame: Robust backbone in which the motor, box and control system are as beautifully as they are safely integrated. 65° seat tube angle
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: SR Suntour MOBIE, Telescope, spiral spring
- Fork travel: 70 mm
- Fork lockout: No
- Rear carrier: aluminum

### Wheels/Tyres

- Tyre Front: CST Brooklyn, 55-406
- Tyre rear: CST Brooklyn, 55-559
- Front rim: Ryde Andra 40, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde Andra 29, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Enviolo Heavy Duty, continuously variable gears

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: with toolbox, steplessly adjustable
- Grips: Gazelle Aero Leather, luxury leather handlebar grips for a sophisticated feel and extra comfort
- Brake levers: Tektro HD-M750

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-M750, 180 mm 4 piston
- Rear brake: hydraulic disc brake, Tektro HD-M750, 180 mm, 4 piston
- Shifter: Enviolo Twist pure manual
- Front chain wheel: 50 Gates CDX
- Rear chain wheel: 24 Gates CDX
- Gear: Enviolo Heavy Duty manual, Stepless gear system
- Drivetrain: belt
- Chain/belt: Gates CDX

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: No
- Saddle: Selle Royal Essenza Plus

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G3754	Low-Step 49 SE 20"	001	black matte

### Lighting

- Front light: Spanninga Axendo 60
- Frontlight lux: 60
- Front light energy source: battery
- Rear light: Spanninga Solo
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Performance Line, 75 Nm
- Display: Bosch Purion 200
- Display Removeable: No
- Charger: Bosch Standard Charger, 4 Ah
- Watt hours: 400 Wh, 545 Wh, 800 Wh
- Battery Position: on the frame

### Other

- Lock: Abus 4750L, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Gazelle, centered double stand, Gazelle patented kickstand, torsion damper
- Maximum weight: 250 kg

## Accessories

NO.	DESCRIPTION
653120900	Car seat adapter Makki
653121000	Child seat adapter
65312110050	Storage drawer (black)
65354010050	Front bench set (black)
653121200C	Rain hood
653121300C	Cover

# Makki Urban



black matte / pine green gloss

The Makki Urban is a comfortable e-cargo bike for urban environments. It meets all safety standards and is, above all, easy to handle, both for the cyclist and the little ones in the cargo box. Thanks to the many accessories, the Makki Urban is a perfect alternative to a second car.

- Easy to take off the stand
- Nexus 5-speed hub designed for e-bikes
- Children can get in and out quickly and easily
- Gazelle Protect: GPS built-in

**VERSION:** Shimano Nexus 5 with Tektro HD-M750 hydraulic disc brakes **WEIGHT (KG):** 53.9 (excl. battery)  
**WEIGHT (LBS):** LOW-STEP: S(49) **COLOUR:** black matte / pine green gloss



# Makki Urban

## Specifications

### Frame/Fork

- Frame: Robust backbone in which the motor, box and control system are as beautifully as they are safely integrated. 65° seat tube angle
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: SR Suntour MOBIE, Telescope, spiral spring
- Fork travel: 70 mm
- Fork lockout: No
- Rear carrier: aluminum

### Wheels/Tyres

- Tyre Front: CST Brooklyn, 55-406
- Tyre rear: CST Brooklyn, 55-559
- Front rim: Ryde Andra 40, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde Andra 29, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Shimano Nexus 5

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: with toolbox, steplessly adjustable
- Grips: Gazelle Aero Leather, luxury leather handlebar grips for a sophisticated feel and extra comfort
- Brake levers: Tektro HD-M750

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-M750, 180 mm 4 piston
- Rear brake: hydraulic disc brake, Tektro HD-M750, 180 mm, 4 piston
- Front chain wheel: 46 Gates CDX
- Rear chain wheel: 34 Gates CDX
- Gear: Shimano Nexus 5
- Drivetrain: belt
- Chain/belt: Gates CDX

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: No
- Saddle: Selle Royal Essenza Plus

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
BGA0246	Low-Step 49 S5 20"	001	black matte

### Lighting

- Front light: Spanninga Axendo 60
- Frontlight lux: 60
- Front light energy source: battery
- Rear light: Spanninga Solo
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Active Line Plus, 50 Nm
- Display: Bosch Purion 200
- Display Removeable: No
- Charger: Bosch Standard Charger, 2 Ah
- Watt hours: 400 Wh, 545 Wh, 800 Wh
- Battery Position: on the frame

### Other

- Lock: Abus 4750L, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Gazelle, centered double stand, Gazelle patented kickstand, torsion damper
- Maximum weight: 250 kg

## Accessories

NO.	DESCRIPTION
653120900	Car seat adapter Makki
653121000	Child seat adapter
65312110050	Storage drawer (black)
65354010050	Front bench set (black)
653121200C	Rain hood
653121300C	Cover

# Cabby

Kids to school, groceries, that extra bag and a parcel that needs to be picked up? With the Cabby, featuring an extended rear carrier and many accessories, you can truly take everything with you. Riding and parking are as easy as with a regular e-bike. This way, you can move through your life smoothly.



## Accessoires Cabby



### Cabby seat cushion MIK | 313220600

- Double bar: children can hold onto the first bar, so their hands are always protected thanks to the second bar
- First bar finished with foam material for extra comfort
- Perfect size: space for two child seats or crates yet compact
- Easy assembly



### Cabby footrests| 653122000

- Children can easily step up themselves
- Stability and support for your children during the ride
- Excellent grip, thanks to the texture on the footrests
- Easy assembly



### Cabby back cushion for safety bar | 653109100

- Comfortable back cushion for your child on the Gazelle Cabby
- Easy to attach with the strong Velcro closure
- Made of water-repellent material, so your child sits dry
- Always clearly visible thanks to reflective strips



### Cabby seat cushion MIK | 653109200

- Thanks to the MIK system, you can easily click the cushion onto the rear carrier
- The Cabby fits two seat cushions, so you can comfortably take two children with you
- Made of water-repellent material, so your child sits dry
- Made of sturdy damping material, so your child sits comfortably



Cargo front carrier bag



Cargo single pannier



Cargo bag

### Cargo front carrier bag MIK | 653109400

- Thanks to the MIK system, you easily click the bag onto the front carrier
- Extra pocket with a zipper at the back, e.g. for your mobile phone
- Made of water-repellent material, so your items stay dry
- Always clearly visible thanks to reflective strips

### Cargo single pannier | 653109500

- Made of water-repellent material, so your items stay dry
- Neat storage, thanks to the various pockets
- Reinforced sides and bottom, making it easy to fill the pannier
- Always clearly visible thanks to reflective strips

### Cabby cargo bag | 653109300

- To be split into two parts: one for the child's legs and one for the luggage
- Large pannier for all your luggage: 34 litres capacity
- Made of water-repellent material, so your items stay dry
- Always clearly visible thanks to reflective strips





## Take everything with you

The Cabby is ready for you, in every situation. With the handy MIK system, you can switch accessories on the front and rear carrier in no time. Combine the accessories as you find convenient. Two kids or lots of groceries? The rear carrier can be loaded up to 80 kg.

## With peace of mind

The safety of your kids comes first. Thanks to the wheel protector, little feet and hands are always safe. And the Cabby stands firmly with the innovative double-leg kickstand by Gazelle. Last but not least: the Cabby features Gazelle Connect.




## Cleverly designed

Our designers really think of everything. The Cabby has an easy step-through design and rides just as pleasantly as a regular e-bike. It is only slightly longer and therefore fits on your car's bike carrier. Are your kids no longer sitting on the back? The Cabby remains useful for years to come!

## Geometry

The geometry of a bicycle is about more than just the size. With the geometry table you can make a proper comparison between the various frame sizes and bicycle models. This provides you with a clear picture of the sitting position and the bicycle's handling. The purpose of this is to provide your customer with even better advice.

Always bear in mind that different handlebars and (adjustable) stems can have a significant effect on the sitting position. This is not included in this table.



## Cabby

Frame size, low-step	S (45)	L (55)
A Size (mm)	450	550
B Effective top tube length (mm)	598	637
C Head tube angle (°)	69	69
D Effective seat tube angle (°)	69,5	69,5
E Chain stay length (mm)	630	630
F BB Drop (mm)	28	28
G Head tube length (mm)	240	290
H Fork length (mm)	461,5	461,5
I Fork offset (mm)	44	44
J Wheelbase (mm)	1265	1305
K Stack (mm)	681	681
L Reach (mm)	343	343

### Cabby C380

Gears	Enviolo Heavy Duty manual
Motor	Bosch Smart System Performance Line CX (85 Nm)
Battery choice	400 Wh / 545 Wh / 800 Wh
Max. load	200 kg
Belt drive	✓
Display	Kiox 300
Gazelle Connect	✓



# Cabby C380



denim blue gloss



black matte

Kids to school, groceries, that extra bag and a parcel that needs to be picked up? With the Cabby, featuring an extended rear carrier and many accessories, you can truly take everything with you. Riding and parking are as easy as with a regular e-bike. This way, you can move through your life smoothly.

- Switch your accessories in no time
- Safe on the road with sturdy stand and wheel protector
- Rides and parks like a normal e-bike
- Gazelle Connect: always know where your bike is

**VERSION:** Enviolo Heavy Duty with Tektro HD-T535 hydraulic disc brakes **WEIGHT (KG):** 32.3 (excl. battery)  
**WEIGHT (LBS):** 71.2 (excl. battery) **LOW-STEP:** S(45) | L(55) **COLOUR:** black matte | denim blue gloss



**BOSCH**



**GPS-PROTECTED**



# Cabby C380

## Specifications

### Frame/Fork

- Frame: Sturdy e-bike with an aluminum frame, designed for stability and comfort. The low step-through and unique downtube ensure easy mounting and dismounting, ideal for daily use and heavy loads. Perfect balance between functionality and comfortable riding experience.
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: SR Suntour MOBIE 34-D Boost Air, Telescope, air
- Fork travel: 80 mm
- Fork lockout: Yes
- Rear carrier: 4 MIK-HD profiles

### Wheels/Tyres

- Tyre Front: Schwalbe Pick Up, 60-559
- Tyre rear: Schwalbe Pick Up, 60-507
- Front rim: Ryde Andra 29, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde Andra 29, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Novatec
- Rear hub: Enviolo Heavy Duty

### Stem/Handlebar

- Handlebar: aluminum, slightly curved
- Stem: with toolbox, steplessly adjustable
- Grips: Ergon GP1-L ergonomic, plastic handlebar grips with ergonomic form for a better distribution of pressure on the hands
- Brake levers: Tektro

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-T535, 180 mm
- Rear brake: hydraulic disc brake, Tektro HD-T535, 180 mm
- Shifter: Enviolo Twist pro - Manual
- Front chain wheel: 50 Gates CDX
- Rear chain wheel: 24 Gates CDX

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G4467	Low-Step 45 SE 26"	001	black matte
G4468	Low-Step 55 SE 26"	001	black matte
G4470	Low-Step 45 SE 26"	820	denim blue gloss
G4471	Low-Step 55 SE 26"	820	denim blue gloss

- Gear: Enviolo Heavy Duty manual
- Drivetrain: belt
- Chain/belt: Gates CDX

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: No
- Saddle: Selle Royal Orbis, with lever

### Lighting

- Front light: Trelock Light Hammer 80
- Frontlight lux: 80
- Front light energy source: battery
- Rear light: Spanninga Pimento
- Rear light energy source: battery

### System

- Motor: Bosch Smart System Performance Line CX, 85 Nm
- Display: Bosch Kiox 300
- Display Removeable: Yes
- Charger: Bosch Standard Charger, 4 Ah
- Watt hours: 400 Wh, 545 Wh, 800 Wh
- Battery Position: behind the seatpost

### Other

- Lock: Abus 4750XL
- Kickstand: Gazelle, Centered double stand
- Maximum weight: 200 kg

## Accessories

NO.	DESCRIPTION
313220600	Cabby safety bar
653122000	Gazelle Cabby footrests
653109100	Gazelle Cabby back cushion for safety bar
653109200	Gazelle Cabby seat cushion MIK
653109400	Gazelle Cargo front carrier bag MIK
653109500	Gazelle Cargo single pannier
653109300	Gazelle Cabby cargo bag

# Bloom


What you really want is a bike that lasts a lifetime. A sturdy family bike, on which you can cycle easily and comfortably under all conditions, but also with all your shopping and one or two children. It's a bike you can ride all day long. In a word, Gazelle: safe, comfortable and in a striking design.



## Geometry

The geometry of a bicycle is about more than just the size. With the geometry table you can make a proper comparison between the various frame sizes and bicycle models. This provides you with a clear picture of the sitting position and the bicycle's handling. The purpose of this is to provide your customer with even better advice.

Always bear in mind that different handlebars and (adjustable) stems can have a significant effect on the sitting position. This is not included in this table.



## Bloom

Frame size, low-step	S (49)	M (53)	L (57)	XL (61)
A Size (mm)	490	530	570	610
B Effective top tube length (mm)	620	641	652	661
C Head tube angle (°)	70	70	70	70
D Effective seat tube angle (°)	71	71	71	71
E Chain stay length (mm)	497	497	497	497
F BB Drop (mm)	60	60	60	60
G Head tube length (mm)	185	220	220	220
H Fork length (mm)	450	450	450	450
I Fork offset (mm)	55	55	55	55
J Wheelbase (mm)	1151	1172	1183	1192
K Stack (mm)	647	680	680	680
L Reach (mm)	397	407	418	427





## Comfortable

Hop on and off easily thanks to the extra space between the saddle and the handlebars. This means you can take the little one with you in the child seat and steer you way easily through the traffic.

## Safe

Extra stable thanks to the twin-leg kick stand and handlebar lock. It feels really safe with your kids in the front and rear child seats and heavy bags on the carrier. It has never been easier to carry your shopping. It's handy when you go and pick up the kids after work, too.



## Countless customisation options

Select your own options for each ride First up daycare, with the easy-fit child seat on the back. Swap out the child seat for a basket or crate in an instant before heading off to the terrace in the afternoon. It's all so easy!

	Bloom C310	Bloom C7	Bloom C7 26"
Gears	Continuously variable Enviolo City Manual	7	7
Motor	Shimano EP5 (60 Nm)	Shimano EP5 (50 Nm)	Shimano EP5 (50 Nm)
Battery choice	418 Wh / 504 Wh / 630 Wh	418 Wh / 504 Wh / 630 Wh	418 Wh / 504 Wh / 630 Wh
Hydraulic disc brakes	✓	✓	✓
Front and rear rack	✓	✓	✓
Twin-leg kick stand	✓	✓	✓
Handy steering lock	✓	✓	✓



# Bloom C310



clay green gloss



black matte

The Bloom C310 makes cycling with your children and shopping a doddle. Getting on and off is easy, due to its low and wide step-through. There is extra space for a front-mounted child seat between the saddle and handlebars. The position of the battery, in the centre of the bike, provides more stability and better road holding. It's so safe! And with powerful assistance, there are no tough rides.

- A double kick stand and steering lock keep the bike stable
- Enviolo: change gears without thinking about it
- Front and rear carrier with convenient MIK system
- The mid-drive motor makes riding a loaded bike a doddle

**VERSION:** Enviolo City Manual stepless gear system with Tektro HD-T280 hydraulic disc brakes **WEIGHT (KG):** 27.6 (excl. battery) **WEIGHT (LBS):** 60.8 (excl. battery) **LOW-STEP:** S(49) | M(53) | L(57) | XL(61) **COLOUR:** black matte | clay green gloss

# Bloom C310

## Specifications

### Frame/Fork

- Frame: Oversized aluminium frame for extra stability. 68° headset and saddle tube angle with super-low and roomy step-through and very comfortable posture. Extra space between saddle and handlebars for child seat.
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Rigid
- Fork lockout: No
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe Big Apple, 50-622
- Tyre rear: Schwalbe Big Apple, 50-622
- Front rim: Mach1 910, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Mach1 910, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Enviolo City Manual Trekking Manual, continuously variable gears

### Stem/Handlebar

- Handlebar: aluminium look, extra spacious for child seat
- Stem: with toolbox, steplessly adjustable
- Grips: Gazelle Aero Leather, luxury leather handlebar grips for a sophisticated feel and extra comfort
- Brake levers: Tektro

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-T280, 180 mm 2 piston
- Rear brake: hydraulic disc brake, Tektro HD-T280, 160 mm, 2 piston
- Shifter: Enviolo Twist pure manual

- Front chain wheel: 38
- Rear chain wheel: 18
- Gear: Enviolo, Stepless gear system
- Drivetrain: chain
- Chain/belt: KMC X8, extra strong, special for e-bike

### Saddle

- Seatpost diameter: 27,2 mm
- Suspension y/n: No
- Saddle: Selle Royal Herz

### Lightning

- Front light: Spanninga Axendo 40 Plus
- Frontlight lux: 40
- Front light energy source: battery
- Rear light: Spanninga Solo
- Rear light energy source: battery

### System

- Motor: Shimano EP5, 60 Nm
- Display: Shimano SC-EN500
- Display Removeable: No
- Charger: Shimano EC-E6002, 2 Ah
- Watt hours: 418 Wh, 504 Wh, 630 Wh
- Battery Position: on the frame

### Other

- Lock: Axa BlockXXL, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Jumbo, centered double stand
- Maximum weight: 170 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G4065	Low-Step 49 SE 28"	001	black matte
G4066	Low-Step 53 SE 28"	001	black matte
G4067	Low-Step 57 SE 28"	001	black matte
G4068	Low-Step 61 SE 28"	001	black matte
G4070	Low-Step 49 SE 28"	818	clay green gloss
G4071	Low-Step 53 SE 28"	818	clay green gloss
G4072	Low-Step 57 SE 28"	818	clay green gloss

# Bloom C7



light olive gloss



thunder grey gloss

The Bloom C7 makes cycling with your children and shopping a doddle. Getting on and off is easy, due to its low and wide step-through. There is extra space for a front-mounted child seat between the saddle and handlebars. The position of the battery, in the centre of the bike, provides more stability and better road holding. It's so safe! Without a child seat, this e-bike becomes the perfect lifestyle bike.

- A double kick stand and steering lock keep the bike stable
- Front and rear carrier with convenient MIK system
- High permissible weight: 170 kilos
- Powerful, hydraulic disc brakes

**VERSION:** 7-speed Shimano Nexus gears with Tektro HD-T280 disc brakes **WEIGHT (KG):** 26.9 (excl. battery)  
**WEIGHT (LBS):** 59.3 (excl. battery) **LOW-STEP:** S(49) | M(53) | L(57) | XL(61) **COLOUR:** light olive gloss | thunder grey gloss

# Bloom C7

## Specifications

### Frame/Fork

- Frame: Oversized aluminium frame for extra stability. 68° headset and saddle tube angle with super-low and roomy step-through and very comfortable posture. Extra space between saddle and handlebars for child seat.
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Rigid
- Fork lockout: No
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe Big Apple, 50-622
- Tyre rear: Schwalbe Big Apple, 50-622
- Front rim: Mach1 910, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Mach1 910, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Shimano Nexus 7

### Stem/Handlebar

- Handlebar: aluminium look, extra spacious for child seat
- Stem: with toolbox, steplessly adjustable
- Grips: Gazelle Aero Leather, luxury leather handlebar grips for a sophisticated feel and extra comfort
- Brake levers: Tektro

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-T280, 180 mm 2 piston
- Rear brake: hydraulic disc brake, Tektro HD-T280, 160 mm, 2 piston
- Shifter: Shimano Nexus 7
- Front chain wheel: 38

- Rear chain wheel: 18
- Gear: Shimano Nexus 7
- Drivetrain: chain
- Chain/belt: KMC X8, extra strong, special for e-bike

### Saddle

- Seatpost diameter: 27,2 mm
- Suspension y/n: No
- Saddle: Selle Royal Herz

### Lightning

- Front light: Spanninga Axendo 40 Plus
- Frontlight lux: 40
- Front light energy source: battery
- Rear light: Spanninga Solo
- Rear light energy source: battery

### System

- Motor: Shimano EP5, 50 Nm
- Display: Shimano SC-EN500
- Display Removeable: No
- Charger: Shimano EC-E6002, 2 Ah
- Watt hours: 418 Wh, 504 Wh, 630 Wh
- Battery Position: on the frame

### Other

- Lock: Axa Imenso, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Jumbo, centered double stand
- Maximum weight: 170 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G4055	Low-Step 49 S7 28"	887	light olive gloss
G4056	Low-Step 53 S7 28"	887	light olive gloss
G4057	Low-Step 57 S7 28"	887	light olive gloss
G4060	Low-Step 49 S7 28"	909	thunder grey gloss
G4061	Low-Step 53 S7 28"	909	thunder grey gloss
G4062	Low-Step 57 S7 28"	909	thunder grey gloss
G4063	Low-Step 61 S7 28"	909	thunder grey gloss

# Bloom C7 26"



thunder grey gloss

The Bloom C7 26" makes cycling with your children and shopping a doddle. Getting on and off is easy, due to its low and wide step-through. There is extra space for a front-mounted child seat between the saddle and handlebars. The position of the battery, in the centre of the bike, provides more stability and better road holding. It's so safe! Without a child seat, this e-bike becomes the perfect lifestyle bike.

- Front and rear carrier with convenient MIK system
- High permissible weight: 170 kilos
- Powerful, hydraulic disc brakes

**VERSION:** 7-speed Shimano Nexus gears with Tektro HD-T280 disc brakes **WEIGHT (KG):** 28.8 (excl. battery)  
**WEIGHT (LBS):** 56 (excl. battery) **LOW-STEP:** XXS(42) | XS(46) **COLOUR:** thunder grey gloss

# Bloom C7 26"

## Specifications

### Frame/Fork

- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Rigid
- Fork lockout: No
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe Big Apple, 50-559
- Tyre rear: Schwalbe Big Apple, 50-559
- Front rim: Mach1 910, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Mach1 910, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Shimano Nexus 7

### Stem/Handlebar

- Handlebar: aluminium look, extra spacious for child seat
- Stem: with toolbox, steplessly adjustable
- Grips: Gazelle Aero Leather, luxury leather handlebar grips for a sophisticated feel and extra comfort
- Brake levers: Tektro

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-T280, 160 mm 2 piston
- Rear brake: hydraulic disc brake, Tektro HD-T280, 160 mm, 2 piston
- Shifter: Shimano Nexus 7
- Front chain wheel: 38
- Rear chain wheel: 18
- Gear: Shimano Nexus 7
- Drivetrain: chain
- Chain/belt: KMC X8, extra strong, special for e-bike

### Saddle

- Seatpost diameter: 27,2 mm
- Suspension y/n: No
- Saddle: Selle Royal Herz

### Lightning

- Front light: Spanninga Axendo 40 Plus
- Frontlight lux: 40
- Front light energy source: battery
- Rear light: Spanninga Solo
- Rear light energy source: battery

### System

- Motor: Shimano EP5, 50 Nm
- Display: Shimano SC-EN500
- Display Removeable: No
- Charger: Shimano EC-E6002, 2 Ah
- Watt hours: 418 Wh, 504 Wh, 630 Wh
- Battery Position: on the frame

### Other

- Lock: Axa Imenso, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Jumbo, centered double stand
- Maximum weight: 170 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G4027	Low-Step 42 S7 28"	909	thunder grey gloss
G4028	Low-Step 46 S7 28"	909	thunder grey gloss




# Easyflow

Fully relaxed cycling starts with mounting the bicycle with ease. The wide, low step-through makes this possible. When you sit on the saddle you are still able to put your feet on the ground. And then set off cycling with a comfortable - upright - sitting position. The powerful motor springs into action as soon as you cycle away. Just touch the brakes slightly to come to a quick and safe stop: with both feet on the ground.

## Geometry

The geometry of the Easyflow is unique and geared to the specific needs of the user. It therefore cannot be compared with other bikes from our collection. This table provides you with an overview of the sizes that may be important for the user. The relatively short seat tube enables the user to place both feet on the ground when at a standstill. The short seat tube and handlebar stem ensure that the Easyflow is suitable for persons 150 to 180 cm tall.



## Easyflow

Frame size, low-step	S (46)
A Step-through height	370
B Step-through width	260
C Total length	1873
D Wheelbase	1255
E Maximum saddle height	880
F Minimum saddle height	700





## Control

The Gazelle Easyflow has been designed to the last detail for stability and control. The low centre of gravity and the position of the saddle, pedals and handlebar allow you to put both feet on the ground while still sitting on the saddle. Thanks to the low and wide step-through, getting on and off is child's play. With the side display, you always have your speed and range under control.

## Safety

With the Gazelle Easyflow you always safely reach your destination. Anti-slip pedals provide grip while cycling. Powerful brakes ensure the shortest stopping distance. The bright lights ensure that you see everything whilst also remaining clearly visible. With the rearview mirror you can always see what is happening behind you.



## Comfort

Sitting upright means cycling comfort and automatically seeing far in front of you. You have a good view of the traffic and so can respond in a timely manner. The wide tyres, ergonomic handlebar grips and soft saddle bring the comfort to an unparalleled level. The smooth and powerful assistance gives you that extra boost. No hill is too steep any more! With the MIK carrier system you can easily securely click bicycle bags or baskets. Take your things with you safely and stably.

	Easyflow C8	Easyflow C7
Gears	8 automatic	7
Motor	Shimano EP5 (50 Nm)	Shimano EP5 (50 Nm)
Battery choice	418 Wh / 504 Wh / 630 Wh	418 Wh / 504 Wh / 630 Wh
Hydraulic disc brakes	✓	✓
Low and wide step-through	✓	✓
Anti-slip pedals	✓	✓
Rearview mirror	✓	✓
Display locatie	Side	Side



# Easyflow C8



anthracite grey gloss

Thanks to the Easyflow frame, you can place both feet on the ground and mount easily. You sit comfortably upright and maintain good control thanks to the grippy tyres and reliable disc brakes. The Easyflow C8 shifts automatically, so you never have to search for the right gear again. With the Shimano Di2 automatic shifting system, you can hit the road with confidence.

- Automatically in the right gear
- Soft seat, wide tyres and fine handlebar grips
- Handy mirror, sturdy, anti-slip pedals and LED lights
- Comfortable mounting thanks to the bike's special geometry

**VERSION:** 8-speed Shimano Nexus Di2 gears with Tektro HD-R280 hydraulic disc brakes **WEIGHT (KG):** 24.8 (excl. battery) **WEIGHT (LBS):** LOW-STEP: XS(46) **COLOUR:** anthracite grey gloss

# Easyflow C8

## Specifications

### Frame/Fork

- Frame: Aluminium frame with a unique geometry with a low step-through which allows you as cyclist to always get your feet on the ground, so you don't have to get off when you stop. Mid-mounted motor and low positioned battery provide great stability.
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Rigid
- Fork lockout: No
- Rear carrier: aluminum MIK system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe Big Ben Plus, 55-406
- Tyre rear: Schwalbe Big Ben Plus, 55-406
- Front rim: Ryde Andra 40, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde Andra 40, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Shimano Nexus 8 Di2

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle Switch, manually steplessly adjustable
- Grips: Ergon GC10, plastic handlebar grips with ergonomic form for a better distribution of pressure on the hands
- Brake levers: Tektro

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-R280, 160 mm 2 piston
- Rear brake: hydraulic disc brake, Tektro HD-R280, 160 mm, 2 piston
- Shifter: Shimano Nexus 8
- Front chain wheel: 38
- Rear chain wheel: 18
- Gear: Shimano Nexus 8
- Drivetrain: chain
- Chain/belt: KMC X8, extra strong, special for e-bike

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: No
- Saddle: Selle Royal Gipsy

### Lightning

- Front light: Busch & Müller Upp
- Frontlight lux: 40
- Front light energy source: battery
- Rear light: Spanninga Solo
- Rear light energy source: battery

### System

- Motor: Shimano EP5, 50 Nm
- Display: Shimano SC-EN600
- Display Removeable: No
- Charger: Shimano, 2 Ah
- Watt hours: 418 Wh, 504 Wh, 630 Wh
- Battery Position: on the frame

### Other

- Lock: Axa BlockXXL, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Mooi, side stand
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
BGA0085	Low-Step 46 S8 24"	822	anthracite grey gloss

# Easyflow C7



pine green gloss

Completely relaxed cycling starts with easy mounting and smooth departure. The Easyflow frame is designed to be easy to mount, and its powerful motor is designed for smooth starts. Sit in a comfortable upright position and keep things under control with grippy tyres and reliable brakes. Standing still means standing steady because Easyflow allows you to always have both feet on the ground.

- Comfortable mounting thanks to the bike's special geometry
- Soft seat, wide tyres and fine handlebar grips
- Handy mirror, sturdy, anti-slip pedals and LED lights
- Powerful, hydraulic disc brakes

**VERSION:** 7-speed Shimano Nexus gears with Tektro HD-R280 hydraulic disc brakes **WEIGHT (KG):** 24.7 (excl. battery)  
**WEIGHT (LBS):** 54.5 (excl. battery) **LOW-STEP:** XS(46) **COLOUR:** pine green gloss

# Easyflow C7

## Specifications

### Frame/Fork

- Frame: Aluminium frame with a unique geometry with a low step-through which allows you as cyclist to always get your feet on the ground, so you don't have to get off when you stop. Mid-mounted motor and low positioned battery provide great stability.
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Rigid
- Fork lockout: No
- Rear carrier: aluminum MIK system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe Big Ben Plus, 55-406
- Tyre rear: Schwalbe Big Ben Plus, 55-406
- Front rim: Ryde Andra 40, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde Andra 40, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano
- Rear hub: Shimano Nexus 7

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle Switch, manually steplessly adjustable
- Grips: Ergon GC10, plastic handlebar grips with ergonomic form for a better distribution of pressure on the hands
- Brake levers: Tektro

### Transmission/brakes

- Front brake: hydraulic disc brake, Tektro HD-R280, 160 mm 2 piston
- Rear brake: hydraulic disc brake, Tektro HD-R280, 160 mm, 2 piston
- Shifter: Shimano Nexus 7
- Front chain wheel: 38
- Rear chain wheel: 18
- Gear: Shimano Nexus 7
- Drivetrain: chain
- Chain/belt: KMC, extra strong, special for e-bike

### Saddle

- Seatpost diameter: 31,6 mm
- Suspension y/n: No
- Saddle: Selle Royal Gipsy

### Lightning

- Front light: Busch & Müller Upp
- Frontlight lux: 40
- Front light energy source: battery
- Rear light: Spanninga Solo
- Rear light energy source: battery

### System

- Motor: Shimano EP5, 50 Nm
- Display: Shimano SC-EN500
- Display Removeable: No
- Charger: Shimano, 2 Ah
- Watt hours: 418 Wh, 504 Wh, 630 Wh
- Battery Position: on the frame

### Other

- Lock: Axa BlockXXL, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Mooi, side stand
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G4053	Low-Step 46 S7 24"	867	pine green gloss

# Chamonix


If you want to go by bike. Then choose the Chamonix. Whether for the daily commute to work or that pleasant bike trip during your holiday. Whatever your plans, it's by bike! As you use the Chamonix for various purposes, we have ensured that the bike is as comfortable as possible.



## Geometry

The geometry of a bicycle is about more than just the size. With the geometry table you can make a proper comparison between the various frame sizes and bicycle models. This provides you with a clear picture of the sitting position and the bicycle's handling. The purpose of this is to provide your customer with even better advice.

Always bear in mind that different handlebars and (adjustable) stems can have a significant effect on the sitting position. This is not included in this table.



## Chamonix

Frame size, low-step	S (49)	M (53)	L (57)	XL (61)
A Size (mm)	490	530	570	610
B Effective top tube length (mm)	611	611	611	616
C Head tube angle (°)	69	70,5	70,5	70,5
D Effective seat tube angle (°)	71,5	71,5	71,5	71,5
E Chain stay length (mm)	471	471	471	471
F BB Drop (mm)	60	60	60	60
G Head tube length (mm)	165	165	185	185
H Fork length (mm)	464	464	464	464
I Fork offset (mm)	50	50	50	50
J Wheelbase (mm)	1122	1110	1110	1116
K Stack (mm)	639	646	665	665
L Reach (mm)	389	392	386	392

Frame size, high-step	M (53)	L (57)	XL (61)	XXL (65)
A Size (mm)	530	570	610	650
B Effective top tube length (mm)	611	611	616	625
C Head tube angle (°)	70,5	70,5	70,5	70,5
D Effective seat tube angle (°)	71,5	71,5	71,5	71,5
E Chain stay length (mm)	471	471	471	471
F BB Drop (mm)	60	60	60	60
G Head tube length (mm)	165	165	185	185
H Fork length (mm)	464	464	464	464
I Fork offset (mm)	50	50	50	50
J Wheelbase (mm)	1110	1110	1116	1126
K Stack (mm)	646	646	665	665
L Reach (mm)	392	393	392	402

# Chamonix S11



cloud grey matte



cloud grey matte

A perfect touring bike offering a sporty look and plenty of comfort. The high-quality finish with Alfine 11 gear hub, powerful hydraulic disc brakes and no-maintenance belt drive deliver a fantastic ride every time.

- Low maintenance thanks to belt drive
- 11-speed gear hub covers every eventuality
- Stay visible with hub dynamo lighting
- Stop quickly and safely thanks to the powerful hydraulic disc brakes

**VERSION:** 11-speed Shimano Alfine gears with Shimano BR-MT200 hydraulic disc brakes **WEIGHT (KG):** 18.7  
**WEIGHT (LBS):** 41.2 **LOW-STEP:** S(49) | M(53) | L(57) | XL(61) **COLOUR:** cloud grey matte **HIGH-STEP:** M(53) | L(57) | XL(61) | XXL(65) **COLOUR:** cloud grey matte

# Chamonix S11

## Specifications

### Frame/Fork

- Frame: Sporty and lightweight aluminium frame with a 71.5° seat tube angle and a 70.5° head tube angle. The slim frame and integrated cables give the bike a sleek luxury appearance.
- Sitting Position: Upright / Active
- Frame cables integrated: Yes
- Fork: Rigid
- Fork lockout: No
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe Road Cruiser, 42-622
- Tyre rear: Schwalbe Road Cruiser, 42-622
- Front rim: Ryde Dutch 19, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde Dutch 19, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano, hub dynamo (3W)
- Rear hub: Shimano Alfine 11

### Stem/Handlebar

- Handlebar: aluminum, slightly curved
- Stem: steplessly adjustable
- Grips: Ergon GPI-L ergonomic, plastic handlebar grips with ergonomic form for a better distribution of pressure on the hands
- Brake levers: Shimano BL-MT200

### Transmission/brakes

- Front brake: hydraulic disc brake, Shimano BR-MT200, 180 mm 2 piston
- Rear brake: hydraulic disc brake, Shimano BR-MT200, 160 mm, 2 piston
- Shifter: Shimano Alfine 11
- Front chain wheel: 50 Gates CDN

- Rear chain wheel: 24 Gates CDN
- Gear: Shimano Alfine 11
- Drivetrain: belt
- Chain/belt: Gates CDX

### Saddle

- Seatpost diameter: 27,2 mm
- Suspension y/n: No
- Saddle: Selle Royal Essenza Plus gel

### Lightning

- Front light: Trelock Veo 50
- Frontlight lux: 50
- Front light energy source: hubdynamo
- Rear light: AXA Blueline
- Rear light energy source: hubdynamo

### Other

- Lock: Axa Defender, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G4306	Low-Step 49 S11 28"	851	cloud grey matte
G4307	Low-Step 53 S11 28"	851	cloud grey matte
G4308	Low-Step 57 S11 28"	851	cloud grey matte
G4309	Low-Step 61 S11 28"	851	cloud grey matte
G4313	High-Step 53 S11 28"	851	cloud grey matte
G4314	High-Step 57 S11 28"	851	cloud grey matte
G4315	High-Step 61 S11 28"	851	cloud grey matte
G4316	High-Step 65 S11 28"	851	cloud grey matte

# Chamonix S8



petrol blue matte



petrol blue matte

The ideal combination of lightweight city bike and sporty touring bike. Enjoy your daily commute as much as a cycling tour. The Gazelle designers used lightweight aluminium for both the rugged high step-through frame and the elegant low step-through frame.

- Low maintenance thanks to belt drive and Alfine 8 hub
- Adjustable handlebar stem to ensure the right riding position
- Front fork with integrated suspension delivers a comfortable ride
- Stop quickly and safely thanks to the powerful hydraulic disc brakes

**VERSION:** 8-speed Shimano Alfine gears with Shimano BR-MT200 hydraulic disc brakes **WEIGHT (KG):** 19  
**WEIGHT (LBS):** 41.9 **LOW-STEP:** S(49) | M(53) | L(57) | XL(61) **COLOUR:** petrol blue matte **HIGH-STEP:** M(53) | L(57) | XL(61) | XXL(65) **COLOUR:** petrol blue matte

# Chamonix S8

## Specifications

### Frame/Fork

- Frame: Sporty and lightweight aluminium frame with a 71.5° seat tube angle and a 70.5° head tube angle. The slim frame and integrated cables give the bike a sleek luxury appearance.
- Sitting Position: Upright / Active
- Frame cables integrated: Yes
- Fork: Mono Integrated
- Fork travel: 40 mm
- Fork lockout: No
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe Road Cruiser, 42-622
- Tyre rear: Schwalbe Road Cruiser, 42-622
- Front rim: Dutch 19, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Dutch 19, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano, hub dynamo (3W)
- Rear hub: Shimano Alfine 8

### Stem/Handlebar

- Handlebar: aluminum, slightly curved
- Stem: steplessly adjustable
- Grips: Ergon GC10, plastic handlebar grips with ergonomic form for a better distribution of pressure on the hands
- Brake levers: Shimano BL-MT200

### Transmission/brakes

- Front brake: hydraulic disc brake, Shimano BR-MT200, 180 mm 2 piston
- Rear brake: hydraulic disc brake, Shimano BR-MT200, 160 mm, 2 piston
- Shifter: Shimano Nexus 8

- Front chain wheel: 50 Gates CDN
- Rear chain wheel: 24 Gates
- Gear: Shimano Alfine 8
- Drivetrain: belt
- Chain/belt: Gates CDN

### Saddle

- Seatpost diameter: 27,2 mm
- Suspension y/n: Yes
- Saddle: Selle Royal Essenza Plus gel

### Lightning

- Front light: Trelock Veo 50
- Frontlight lux: 50
- Front light energy source: hubdynamo
- Rear light: AXA Blueline
- Rear light energy source: hubdynamo

### Other

- Lock: Axa Defender, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G3487	Low-Step 49 S8 28"	690	petrol blue matte
G3488	Low-Step 53 S8 28"	690	petrol blue matte
G3489	Low-Step 57 S8 28"	690	petrol blue matte
G3490	Low-Step 61 S8 28"	690	petrol blue matte
G3494	High-Step 53 S8 28"	690	petrol blue matte
G3495	High-Step 57 S8 28"	690	petrol blue matte
G3496	High-Step 61 S8 28"	690	petrol blue matte
G3497	High-Step 65 S8 28"	690	petrol blue matte

# Chamonix C8



metallic orange matte



clay green matte



clay green matte

Looking for relaxed cycling with an active riding position? This all-rounder with lightweight aluminium frame is designed for exactly this purpose. With an eight-speed gear hub, you will be quickly away at the traffic lights and can really build up some speed out of town. The Chamonix C8 has a very sporty look that is emphasised by the disc brakes.

- Closed chain case: Beautiful and functional
- Front fork with integrated suspension delivers a comfortable ride
- Powerful hydraulic disc brakes
- Stay visible with hub dynamo lighting

**VERSION:** 8-speed Shimano Nexus gears with Shimano BR-MT200 hydraulic disc brakes **WEIGHT (KG):** 19  
**WEIGHT (LBS):** 41.9 **LOW-STEP:** S(49) | M(53) | L(57) | XL(61) **COLOUR:** clay green matte | metallic orange matte  
**HIGH-STEP:** M(53) | L(57) | XL(61) | XXL(65) **COLOUR:** clay green matte

# Chamonix C8

## Specifications

### Frame/Fork

- Frame: Sporty and lightweight aluminium frame with a 71.5° seat tube angle and a 70.5° head tube angle. The slim frame and integrated cables give the bike a sleek luxury appearance.
- Sitting Position: Upright / Active
- Frame cables integrated: Yes
- Fork: Mono Integrated
- Fork travel: 40 mm
- Fork lockout: No
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe Road Cruiser, 42-622
- Tyre rear: Schwalbe Road Cruiser, 42-622
- Front rim: Ryde Dutch, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde Dutch, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano, hub dynamo (3W)
- Rear hub: Shimano Nexus 8

### Stem/Handlebar

- Handlebar: aluminum, slightly curved
- Stem: Stem
- Grips: Ergon GC10, plastic handlebar grips with ergonomic form for a better distribution of pressure on the hands
- Brake levers: Shimano BL-MT200

### Transmission/brakes

- Front brake: hydraulic disc brake, Shimano BR-MT200, 180 mm 2 piston
- Rear brake: hydraulic disc brake, Shimano BR-MT200, 160 mm, 2 piston
- Shifter: Shimano Nexus 8
- Front chain wheel: 38
- Rear chain wheel: 18
- Gear: Shimano Nexus 8
- Drivetrain: chain
- Chain/belt: KMC Z1

### Saddle

- Seatpost diameter: 27,2 mm
- Suspension y/n: Yes
- Saddle: Selle Royal Essenza Plus gel

### Lightning

- Front light: Trelock Veo 50
- Frontlight lux: 50
- Front light energy source: hubdynamo
- Rear light: AXA Blue Line 50
- Rear light energy source: hubdynamo

### Other

- Lock: Axa Defender, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G3474	Low-Step 49 T8 28"	818	clay green matte
G3475	Low-Step 53 T8 28"	818	clay green matte
G3476	Low-Step 57 T8 28"	818	clay green matte
G3477	Low-Step 61 T8 28"	818	clay green matte
G4483	Low-Step 49 T8 28"	906	metallic orange matte
G4484	Low-Step 53 T8 28"	906	metallic orange matte
G4485	Low-Step 57 T8 28"	906	metallic orange matte
G4486	Low-Step 61 T8 28"	906	metallic orange matte
G3481	High-Step 53 T8 28"	818	clay green matte
G3482	High-Step 57 T8 28"	818	clay green matte
G3483	High-Step 61 T8 28"	818	clay green matte
G3484	High-Step 65 T8 28"	818	clay green matte

# Chamonix C7



ink blue matte



ink blue matte

The pragmatic all-rounder who doesn't flinch at a tour ride: that's the Chamonix C7! With its sporty looks and striking colour, you'll definitely make an impression.

- Closed chain case: Beautiful and functional
- Suspension front fork absorbs every bump
- Powerful hydraulic disc brakes
- Stay visible with hub dynamo lighting

**VERSION:** 7-speed Shimano Nexus gears with Shimano BR-MT200 hydraulic disc brakes **WEIGHT (KG):** 19.3  
**WEIGHT (LBS):** 42.5 **LOW-STEP:** S(49) | M(53) | L(57) | XL(61) **COLOUR:** ink blue matte **HIGH-STEP:** M(53) | L(57) | XL(61)  
| XXL(65) **COLOUR:** ink blue matte

# Chamonix C7

## Specifications

### Frame/Fork

- Frame: Sporty and lightweight aluminium frame with a 71.5° seat tube angle and a 70.5° head tube angle. The slim frame and integrated cables give the bike a sleek luxury appearance.
- Sitting Position: Upright / Active
- Frame cables integrated: Yes
- Fork: Telescope, spiral spring
- Fork travel: 50 mm
- Fork lockout: No
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe Road Cruiser, 42-622
- Tyre rear: Schwalbe Road Cruiser, 42-622
- Front rim: Ryde Dutch 19, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde Dutch 19, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano, hub dynamo (3W)
- Rear hub: Shimano Nexus 7

### Stem/Handlebar

- Handlebar: aluminum, slightly curved
- Stem: Stem
- Grips: Ergon GC10, plastic handlebar grips with ergonomic form for a better distribution of pressure on the hands
- Brake levers: Shimano BL-MT200

### Transmission/brakes

- Front brake: hydraulic disc brake, Shimano BR-MT200, 180 mm
- Rear brake: hydraulic disc brake, Shimano BR-MT200, 160 mm
- Shifter: Shimano Nexus 7

- Front chain wheel: 38
- Rear chain wheel: 18
- Gear: Shimano Nexus 7
- Drivetrain: chain
- Chain/belt: KMC Z1

### Saddle

- Seatpost diameter: 27,2 mm
- Suspension y/n: Yes
- Saddle: Selle Royal Essenza Plus gel

### Lightning

- Front light: Trelock Veo 50
- Frontlight lux: 50
- Front light energy source: hubdynamo
- Rear light: AXA Blueline
- Rear light energy source: hubdynamo

### Other

- Lock: Axa Defender, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G4609	Low-Step 49 S7 28"	904	ink blue matte
G4610	Low-Step 53 S7 28"	904	ink blue matte
G4611	Low-Step 57 S7 28"	904	ink blue matte
G4612	Low-Step 61 S7 28"	904	ink blue matte
G4616	High-Step 53 S7 28"	904	ink blue matte
G4617	High-Step 57 S7 28"	904	ink blue matte
G4618	High-Step 61 S7 28"	904	ink blue matte
G4619	High-Step 65 S7 28"	904	ink blue matte

# Chamonix T20



thunder grey matte



thunder grey matte

Performance and comfort go hand in hand with the Gazelle Chamonix trekking model. To achieve this aim, the Chamonix T20 combines a comfortable seat with sporty handlebars. With a 20 speed gear system, no mountain is too high. Maximum braking performance is therefore a must.

- Tried and tested Shimano shifting combination
- Low step-through and very sporty look
- Stay visible with hub dynamo lighting
- Stop quickly and safely every time thanks to the powerful hydraulic disc brakes

**VERSION:** 20-speed Shimano Cues gears with Shimano BR-MT200 hydraulic disc brakes **WEIGHT (KG):** 18.3  
**WEIGHT (LBS):** 40.3 **LOW-STEP:** S(49) | M(53) | L(57) | XL(61) **COLOUR:** thunder grey matte **HIGH-STEP:** M(53) | L(57) | XL(61) | XXL(65) **COLOUR:** thunder grey matte

# Chamonix T20

## Specifications

### Frame/Fork

- Frame: Sporty and lightweight aluminium frame with a 71.5° seat tube angle and a 70.5° head tube angle. The slim frame and integrated cables give the bike a sleek luxury appearance.
- Sitting Position: Active
- Frame cables integrated: Yes
- Fork: Rigid
- Fork lockout: No
- Rear carrier: aluminum MIK HD system carrier

### Wheels/Tyres

- Tyre Front: Schwalbe Road Cruiser, 42-622
- Tyre rear: Schwalbe Road Cruiser, 42-622
- Front rim: Dutch 19, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Dutch 19, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano, hub dynamo (3W)

### Stem/Handlebar

- Handlebar: aluminum, slightly curved
- Stem: with toolbox, steplessly adjustable
- Grips: Ergon GP1-L ergonomic, plastic handlebar grips with ergonomic form for a better distribution of pressure on the hands
- Brake levers: Shimano BL-MT200

### Transmission/brakes

- Front brake: hydraulic disc brake, Shimano BR-MT200, 180 mm 2 piston
- Rear brake: hydraulic disc brake, Shimano BR-MT200, 160 mm, 2 piston
- Shifter: Shimano CUES
- Front chain wheel: 46x30
- Gear: Shimano

- Derailleur front: Shimano Cues FD-U6010
- Derailleur rear: Shimano Cues RD-U6000
- Drivetrain: chain
- Chain/belt: KMC E500EPT
- Cassette: 11-39
- Cassette Range: 11-39

### Saddle

- Seatpost diameter: 27,2 mm
- Suspension y/n: Yes
- Saddle: Selle Royal Essenza Plus gel

### Lightning

- Front light: Trelock Veo 50
- Frontlight lux: 50
- Front light energy source: hubdynamo
- Rear light: AXA Blueline
- Rear light energy source: hubdynamo

### Other

- Lock: Axa Defender, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Ursus Mooi, drop-down rear stand
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G3512	Low-Step 49 S20 28"	909	thunder grey matte
G3513	Low-Step 53 S20 28"	909	thunder grey matte
G3514	Low-Step 57 S20 28"	909	thunder grey matte
G3515	Low-Step 61 S20 28"	909	thunder grey matte
G3519	High-Step 53 S20 28"	909	thunder grey matte
G3520	High-Step 57 S20 28"	909	thunder grey matte
G3521	High-Step 61 S20 28"	909	thunder grey matte
G3522	High-Step 65 S20 28"	909	thunder grey matte

# Esprit Belt



light olive matte



pine green matte

With their strong and rigid frames, all Gazelle Esprit bikes are built to last. The Esprit Belt, however, offers even better longevity thanks to its drive system with a durable belt (instead of a chain) and its hydraulic disc brakes. These are more powerful and more durable than roller brakes, making them the brakes of the future.

- Low-maintenance Gates CDN belt drive
- Powerful, hydraulic disc brakes
- Always-on LED lights via hub dynamo
- Additional loading capacity at the front

**VERSION:** 7-speed Shimano Nexus gears with Shimano BR-MT200 hydraulic disc brakes **WEIGHT (KG):** 18.8  
**WEIGHT (LBS):** 41.4 **LOW-STEP:** XS(46) | S(49) | M(54) | L(59) | XL(64) **COLOUR:** light olive matte **HIGH-STEP:** S(49) | M(54) | L(59) | XL(64) **COLOUR:** pine green matte

# Esprit Belt

## Specifications

### Frame/Fork

- Frame: Stable, lightweight oversized aluminium frame with 70.5° headset angle and 71.5° saddle tube angle gives positive steering characteristics. Low-step frame with spacious step-through, double tube.
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Rigid
- Fork lockout: No
- Rear carrier: aluminum

### Wheels/Tyres

- Tyre Front: CST Eternity, 42-622
- Tyre rear: CST Eternity, 42-622
- Front rim: Ryde Dutch, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde Dutch, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano, hub dynamo (3W)
- Rear hub: Shimano Nexus 7

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle Niro, non-adjustable
- Grips: Gazelle Aerowing, plastic wear-resistant handlebar grips for a firm grasp
- Brake levers: Shimano BL-MT200

### Transmission/brakes

- Front brake: hydraulic disc brake, Shimano BR-MT200, 160 mm 2 piston
- Rear brake: hydraulic disc brake, Shimano BR-MT200, 160 mm, 2 piston
- Shifter: Shimano Nexus 7
- Front chain wheel: 50 Gates CDN

- Rear chain wheel: 24 Gates
- Gear: Shimano Nexus 7
- Drivetrain: belt
- Chain/belt: Gates CDN

### Saddle

- Seatpost diameter: 27,2 mm
- Suspension y/n: No
- Saddle: Selle Royal

### Lightning

- Front light: AXA Eco line 30, parking light
- Frontlight lux: 30
- Front light energy source: hubdynamo
- Rear light: AXA Riff, parking light
- Rear light energy source: hubdynamo

### Other

- Lock: Axa Solid, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Massload CL-KA63, side stand
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G4620	Low-Step 46 S7 28"	887	light olive matte
G4621	Low-Step 49 S7 28"	887	light olive matte
G4622	Low-Step 54 S7 28"	887	light olive matte
G4623	Low-Step 59 S7 28"	887	light olive matte
G4624	Low-Step 64 S7 28"	887	light olive matte
G3556	High-Step 49 S7 28"	867	pine green matte
G3557	High-Step 54 S7 28"	867	pine green matte
G3558	High-Step 59 S7 28"	867	pine green matte
G3560	High-Step 64 S7 28"	867	pine green matte

## Accessories

NO.	DESCRIPTION
313960500	Esprit metal front carrier



thyme green matte



black matte



between blue matte



iced blue matte



black matte

The Esprit has everything you need from an everyday bike. The aluminium frame and the robust parts can withstand a knock. The contemporary styling features an integrated headlight, concealed cables and high rims. There are plenty of options for you to choose from.

- Sturdy frame with aluminium luggage carrier
- Always-on LED lights via hub dynamo
- Low-maintenance roller brakes
- Additional loading capacity at the front

**VERSION:** 7-speed Shimano Nexus gears with roller brakes and hub dynamo **WEIGHT (KG):** 19.8 **WEIGHT (LBS):** 42.5 **LOW-STEP:** XS(46) | S(49) | M(54) | L(59) | XL(64) **COLOUR:** black matte | iced blue matte | thyme green matte **HIGH-STEP:** S(49) | M(54) | L(59) | XL(64) **COLOUR:** between blue matte | black matte

**VERSION:** 3-speed Shimano Nexus gears with roller brakes and hub dynamo **WEIGHT (KG):** 18.6 **WEIGHT (LBS):** 41.7 **LOW-STEP:** XS(46) | S(49) | M(54) | L(59) **COLOUR:** black matte | iced blue matte | thyme green matte **HIGH-STEP:** S(49) | M(54) | L(59) **COLOUR:** between blue matte | black matte

## Specifications

### Frame/Fork

- Frame: Stable, lightweight oversized aluminium frame with 70.5° headset angle and 71.5° saddle tube angle gives positive steering characteristics. Low-step frame with spacious step-through, double tube.
- Sitting Position: Upright
- Frame cables integrated: Yes
- Fork: Rigid
- Fork lockout: No
- Rear carrier: aluminum

### Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G5056	Low-Step 46 T3 28"	001	black matte
G5057	Low-Step 49 T3 28"	001	black matte
G5058	Low-Step 54 T3 28"	001	black matte
G5059	Low-Step 59 T3 28"	001	black matte
G5086	Low-Step 46 T3 28"	824	iced blue matte
G5087	Low-Step 49 T3 28"	824	iced blue matte
G5088	Low-Step 54 T3 28"	824	iced blue matte
G5089	Low-Step 59 T3 28"	824	iced blue matte
G5096	Low-Step 46 T3 28"	907	thyme green matte
G5097	Low-Step 49 T3 28"	907	thyme green matte
G5098	Low-Step 54 T3 28"	907	thyme green matte
G5099	Low-Step 59 T3 28"	907	thyme green matte
G5066	Low-Step 46 T7 28"	001	black matte
G5067	Low-Step 49 T7 28"	001	black matte
G5068	Low-Step 54 T7 28"	001	black matte
G5069	Low-Step 59 T7 28"	001	black matte
G5070	Low-Step 64 T7 28"	001	black matte
G5092	Low-Step 49 T7 28"	824	iced blue matte
G5093	Low-Step 54 T7 28"	824	iced blue matte
G5094	Low-Step 59 T7 28"	824	iced blue matte
G5102	Low-Step 49 T7 28"	907	thyme green matte
G5103	Low-Step 54 T7 28"	907	thyme green matte
G5104	Low-Step 59 T7 28"	907	thyme green matte
G5062	High-Step 49 T3 28"	001	black matte
G5063	High-Step 54 T3 28"	001	black matte
G5064	High-Step 59 T3 28"	001	black matte
BGA0163	High-Step 49 T3 28"	912	between blue matte
BGA0164	High-Step 54 T3 28"	912	between blue matte
BGA0165	High-Step 59 T3 28"	912	between blue matte
G5072	High-Step 49 T7 28"	001	black matte
G5073	High-Step 54 T7 28"	001	black matte
G5074	High-Step 59 T7 28"	001	black matte
G5075	High-Step 64 T7 28"	001	black matte
BGA0169	High-Step 49 T7 28"	912	between blue matte
BGA0170	High-Step 54 T7 28"	912	between blue matte
BGA0171	High-Step 59 T7 28"	912	between blue matte

### Wheels/Tyres

- Tyre Front: CST Eternity, 42-622
- Tyre rear: CST Eternity, 42-622
- Front rim: Ryde Dutch, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde Dutch, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano, hub dynamo (2,4W)
- Rear hub: Shimano Nexus 3 Nexus 7

### Stem/Handlebar

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle Niro, non-adjustable
- Grips: Gazelle Aerowing, plastic wear-resistant handlebar grips for a firm grasp
- Brake levers: Gazelle Ergo

### Transmission/brakes

- Front brake: rollerbrake, Shimano BR-C3000F
- Rear brake: rollerbrake, Shimano BR-IM31
- Shifter: Shimano Nexus 7
- Front chain wheel: 38
- Rear chain wheel: 18
- Gear: Shimano Nexus 7 Nexus 3
- Drivetrain: chain
- Chain/belt: KMC Z410

### Saddle

- Seatpost diameter: 27,2 mm
- Suspension y/n: No
- Saddle: Selle Royal

### Lightning

- Front light: AXA Eco line 30, parking light
- Frontlight lux: 30
- Front light energy source: hubdynamo
- Rear light: AXA Riff, parking light
- Rear light energy source: hubdynamo

### Other

- Lock: Axa SolidPlus, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Massload GA-KA63, side stand
- Maximum weight: 130 kg

## Accessories

NO.	DESCRIPTION
313960500	Esprit metal front carrier

# Van Stael



ink blue gloss



moon rock gloss



navy blue gloss



caramel khaki gloss

Gazelle's golden era of cycling is revived in this Van Stael design. The thin steel tubes with lugs are reminiscent of the famous Champion Mondial racing frame and later models like the Tour de France. The narrow racing tyres, the beautiful crankset and the typical rim brakes complete the vintage look. Hop on this stylish bike and you'll feel like a pro racer. Pure nostalgia!

- Thin steel tubes connected with classic lugs
- Classic leather Brooks saddle and leather handlebar grips
- Lights and front and rear carrier sold separately
- Effortless gear shifting with Shimano Nexus 8

**VERSION:** 7-speed Shimano Nexus gears with v-brakes **WEIGHT (KG):** 14.2 **WEIGHT (LBS):** 31.3 **MID-STEP:** S(49) | M(54) | L(59) **COLOUR:** caramel khaki gloss | ink blue gloss **HIGH-STEP:** M(54) | L(59) | XL(64) **COLOUR:** moon rock gloss | navy blue gloss

# Van Stael

## Specifications

### Frame/Fork

- Frame: Robust steel frame with 73° headset and saddle tube angle for precise, manoeuvrable ride characteristics. The compact geometry and short wheelbase result in a sporty riding experience.
- Sitting Position: Sportive
- Frame cables integrated: No
- Fork: Rigid
- Fork lockout: No
- Rear carrier: optional

### Wheels/Tyres

- Tyre Front: Continental SportContact II, 28-622
- Tyre rear: Continental SportContact II, 28-622
- Front rim: Vuelta Airline
- Rear rim: Vuelta Airline
- Rear hub: Shimano Nexus 7

### Stem/Handlebar

- Handlebar: aluminium, straight
- Stem: Gazelle Magix, non-adjustable
- Grips: Brooks Slender, high-quality leather handlebar grips for a retro look and feel
- Brake levers: Tektro FL750

### Transmission/brakes

- Front brake: v-brake, Tektro R737S-F
- Rear brake: v-brake, Tektro R559
- Shifter: Shimano Nexus 7
- Front chain wheel: 44
- Rear chain wheel: 19

- Gear: Shimano Nexus 7
- Drivetrain: chain
- Chain/belt: KMC Z510

### Saddle

- Seatpost diameter: 25,4 mm
- Suspension y/n: No
- Saddle: Brooks B17, leather

### Lightning

### Other

- Kickstand: side stand, aluminium
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G3855	Mid-Step 49 V7 28"	904	ink blue gloss
G3856	Mid-Step 54 V7 28"	904	ink blue gloss
G3857	Mid-Step 59 V7 28"	904	ink blue gloss
G4959	Mid-Step 49 V7 28"	908	caramel khaki gloss
G4960	Mid-Step 54 V7 28"	908	caramel khaki gloss
G4961	Mid-Step 59 V7 28"	908	caramel khaki gloss
G3851	High-Step 54 V7 28"	699	moon rock gloss
G3852	High-Step 59 V7 28"	699	moon rock gloss
G3853	High-Step 64 V7 28"	699	moon rock gloss
G4965	High-Step 54 V7 28"	813	navy blue gloss
G4966	High-Step 59 V7 28"	813	navy blue gloss
G4967	High-Step 64 V7 28"	813	navy blue gloss

## Accessories

NO.	DESCRIPTION
313013900	Van Stael front carrier
313015400	Van Stael rear carrier
444599900	Van Stael lightning kit

# Tour Populaire C8



black gloss



black gloss

The model that marked the beginning of Gazelle's history is now an integral part of the modern-day streetscape. The characteristic frame has been virtually indestructible for countless years, and the nostalgic appearance has remained in demand for years. But the Tour Populaire has moved with the times and now has eight gears. Classic Gazelle quality with contemporary Gazelle comfort!

- A reliable hub dynamo powers the headlight
- Modern Shimano Nexus 8-gear hub
- Classic leather Brooks saddle
- Hand-applied piping on the headset and mudguards

**VERSION:** 8-speed Shimano Nexus gears with roller brakes **WEIGHT (KG):** 22.9 **WEIGHT (LBS):** 50.5 **LOW-STEP:** S(51) | M(57) **COLOUR:** black gloss **HIGH-STEP:** L(61) | XL(66) **COLOUR:** black gloss

# Tour Populaire C8

## Specifications

### Frame/Fork

- Frame: 65° seat angle geometry for very relaxed cycling posture
- Sitting Position: Upright
- Frame cables integrated: No
- Fork: Rigid
- Fork lockout: No
- Rear carrier: steel

### Wheels/Tyres

- Tyre Front: CST Classic Tradition, 40-635
- Tyre rear: Continental Classic Tradition, 40-635
- Front rim: Ryde HL32, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde HL32, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano, hub dynamo (3W)
- Rear hub: Shimano Nexus 8

### Stem/Handlebar

- Handlebar: touring model, fixed, wide
- Stem: Gazelle Niro, non-adjustable
- Grips: Gazelle Vario Comfort Leather, luxury leather handlebar grips for a sophisticated feel and extra comfort
- Brake levers: Gazelle Ergo

### Transmission/brakes

- Front brake: rollerbrake, Shimano BR-C3000F
- Rear brake: rollerbrake, Shimano BR-IM31
- Shifter: Shimano Nexus 8
- Front chain wheel: 44
- Rear chain wheel: 19
- Gear: Shimano Nexus 8
- Drivetrain: chain
- Chain/belt: KMC Z510

### Saddle

- Seatpost diameter: 25,4 mm
- Suspension y/n: No
- Saddle: Brooks B67, leather

### Lighting

- Front light: Busch & Müller LYT Lumotec Retro
- Frontlight lux: 17
- Front light energy source: hubdynamo
- Rear light: Spanninga Nr 9
- Rear light energy source: battery

### Other

- Lock: Axa Defender, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Massload GA-KA63, side stand
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
A5039	Low-Step 51 T8 28"	001	black gloss
A5040	Low-Step 57 T8 28"	001	black gloss
A5037	High-Step 61 T8 28"	001	black gloss
A5038	High-Step 66 T8 28"	001	black gloss

# Classic



moss green matte



panther black gloss



pine green gloss



wolf brown gloss



black matte

Think of a women's bike, and you think of the Classic. Think of a men's bike, and you think of the Classic. Think of a retro bike... and you also think of the Classic. These characteristic frames have been virtually indestructible for countless years and their nostalgic appearance has remained unceasingly popular for years. But they kept up with the times. Classic Gazelle quality with contemporary Gazelle comfort.

- Very comfortable, upright riding position
- Easy shifting with Shimano Nexus 3 or Nexus 8
- Safe braking with back-pedal brake and roller brake
- Chain case and coat protector made of genuine, varnished cloth

**VERSION:** 3-speed Shimano Nexus gears with coaster brake and front rollerbrake **WEIGHT (KG):** 21.6 **WEIGHT (LBS):** 47.6 **LOW-STEP:** S(51) | M(57) **COLOUR:** black matte | moss green matte | panther black gloss

**VERSION:** 7-speed Shimano Nexus gears with coaster brake and rollerbrake brake **WEIGHT (KG):** 22 **WEIGHT (LBS):** 48.3 **LOW-STEP:** S(51) | M(57) **COLOUR:** pine green gloss | wolf brown gloss

# Classic

## Specifications

### Frame/Fork

- Frame: 65° seat angle geometry for very relaxed cycling posture
- Sitting Position: Upright
- Frame cables integrated: No
- Fork: Rigid
- Fork lockout: No
- Rear carrier: steel

### Wheels/Tyres

- Tyre Front: CST Classic Tradition, 40-635
- Tyre rear: CST Classic Tradition, 40-635
- Front rim: Ryde Dutch, double-walled aluminium for extra strong and efficient cycling performance
- Rear rim: Ryde Dutch, double-walled aluminium for extra strong and efficient cycling performance
- Front hub: Shimano, hub dynamo (3W)
- Rear hub: Shimano Nexus 3 Nexus 7, coasterbrake

### Stem/Handlebar

- Handlebar: touring model, adjustable
- Stem: Gazelle Niro, non-adjustable
- Grips: Gazelle Retro, plastic wear-resistant handlebar grips for a firm grasp
- Brake levers: Gazelle Ergo

### Transmission/brakes

- Front brake: rollerbrake, Shimano BR-C3000F
- Rear brake: coaster brake, Shimano
- Shifter: Shimano Nexus 3
- Front chain wheel: 44
- Rear chain wheel: 19
- Gear: Shimano Nexus 3 Nexus 7

- Drivetrain: chain
- Chain/belt: KMC Z410

### Saddle

- Seatpost diameter: 25,4 mm
- Suspension y/n: No
- Saddle: Selle Royal Witch

### Lighting

- Front light: Spanninga Swingo
- Frontlight lux: 20
- Front light energy source: hubdynamo
- Rear light: Spanninga Nr 9
- Rear light energy source: hubdynamo

### Other

- Lock: Axa SolidPlus, ring lock with an option for a plug-in cable to attach your bike to a fixed object for extra protection against theft
- Kickstand: Massload GA-KA63, side stand
- Maximum weight: 130 kg

## Item numbers

ART. NR	DESCRIPTION	CODE	COLOUR
G1600	Low-Step 51 R3T 28"	001	black matte
G1602	Low-Step 57 R3T 28"	001	black matte
BGA0083	Low-Step 51 R3T 28"	276	panther black gloss
BGA0084	Low-Step 57 R3T 28"	276	panther black gloss
G3859	Low-Step 51 R3T 28"	850	moss green matte
G3860	Low-Step 57 R3T 28"	850	moss green matte
G3863	Low-Step 51 R7T 28"	801	wolf brown gloss
G3864	Low-Step 57 R7T 28"	801	wolf brown gloss
BGA0080	Low-Step 51 R7T 28"	867	pine green gloss
BGA0082	Low-Step 57 R7T 28"	867	pine green gloss

# Customise your bike!

To make the most of your bike, you want to be able to customise it to suit your own taste and needs. Make your bike complete with our accessories and bike bags, perfectly designed to suit your needs and the style of your bike. Almost all of our bikes have a MIK or MIK HD carrier, making it very easy to mount accessories on your bike or replace one accessory with another.





**Carrier bag**  
MIK adapter

The Gazelle carrier bag is the versatile chameleon in our lineup of accessories. If flexibility is important to you, this MIK-ready rack top-mounted bag offers the ideal setup for your Gazelle, featuring special expandable compartments that dramatically increase your carrying capacity. Even the main compartment can be expanded upwards to provide enough space for your items. Reflective elements on the sides of the bag provide improved visibility, especially in low light conditions while the water-repellent material and rain cover included will keep your bag's contents dry even in wet weather.

- 31L capacity (with all three compartments expanded)
- Easy mounting with the MIK-system
- Equipped with a rain cover to protect contents
- Incorporated reflective elements for enhanced visibility

## Specifications

- Mounting: MIK
- Fabric: water-repellent polyester
- Volume: 31L
- Load volume: 20 kg
- Number of compartments: 6
- Raincover: yes
- Laptop compartment: no
- Reflectors: rear, side

DESCRIPTION	NO.
Carrier bag MIK adapter	551194700

## Gazelle waterproof shoulderbag



Waterproof shoulderbag

The Gazelle waterproof shoulderbag was designed for getting to work with peace of mind. Everything you need for a day at the office will be well protected in this waterproof bag, including your computer with a special compartment developed specifically to cushion your laptop (up to 15 inches). The Gazelle waterproof shoulderbag has a removable shoulder strap for comfortable carrying off the bike and attachment hooks to ensure the bag is tightly fastened to your bike's rear rack.

- 20L capacity with a protective sleeve accomodating laptops up to 15 inches
- Fitted with a removable shoulder strap for off-bike flexibility
- Fabricated with waterproof material to protect contents
- Incorporated reflective elements for enhanced visibility

### Specifications

- Mounting: hooks
- Fabric: 420D polyester
- Size: 28 x 43 x 17 cm
- Volume: 20L
- Load volume: 10 kg
- Number of compartments: 3
- Raincover: no
- Laptop compartment: yes
- Reflectors: rear

DESCRIPTION	NO.
Waterproof shoulderbag	551194900

## Front carrier Esprit



Esprit metal front carrier  
313960500



## Accessories Van Stael



Van Stael front carrier  
313013900



Van Stael rear carrier  
313015400



Van Stael lighting kit  
444599900

